# STATE OF CONNECTICUT
## PUBLIC UTILITIES REGULATORY AUTHORITY

**Public Educational and Governmental Programming and Education Technology Investment Account (PEGPETIA) Grant Program Application & Itemized Budget**

***Instructions for Filing a Motion to Apply for a PEGPETIA Grant***

***Motion Deadline***

The Public Utilities Regulatory Authority (Authority or PURA) oversees a program to award Public Educational and Governmental Programming Grants (PEG Grants) and Education Technology Investment Grants (ETI Grants) to eligible entities. See General Statutes § 16-331cc. **This PEGPETIA Grant Program Application must be filed as a motion in Docket No. 26-10-02 no later than noon on November 20, 2026.**

***Program Funding Eligibility***

PEG grant funding is intended to improve public, educational, and governmental access programming in Connecticut, and funds should be used for capital and equipment costs that aid the production or procurement of public, educational, and governmental programs. To ensure the funding is used appropriately, after completion of the project, PEG grant recipients must file a report of the project enabled by the grant funds.

ETI grant funding is intended to support education technology initiatives of boards of education and other education entities (public and private schools are eligible to apply). To ensure the funding is used appropriately, after completion of the project, ETI grant recipients must file a report of the project enabled by the grant funds.

***Submission of Motion***

Applicants must complete and file the Application with Itemized Budget electronically to PURA as a motion in Docket No. 26-10-02, at https://portal.ct.gov/pura/about/filing-and-forms/make-an-electronic-filing. Applicants who have not previously registered must first register for an account.

**Motions must include an Application and Itemized Budget for the projects to be funded by the grant. Quotes, invoices, or similar documentation must be submitted for each item to be purchased with grant funds.**

The motion will be assigned a unique motion number after it is filed. The allowable electronic filing size is 20 MB. If the motion's attachments (Application with Itemized Budget plus other attachments) exceed the allowable limit, the motion may include only the completed Application with Itemized Budget, and the remaining attachments must be filed as supplemental filings to the same motion. Subsequent supplements must also be filed as supplemental filings under the assigned motion number.

Questions regarding the electronic filing of the motion and supplements should be directed to Docket Control at PURA.ExecutiveSecretary.gov or (860) 827-2836.

Docket No. 26-10-02 Town of Groton - Groton Municipal Television

## I. Applicant Information

1. Organization Name: Town of Groton - Groton Municipal Television
2. Mailing Address: 52 Newtown Rd., Groton, CT 06340
3. Employer Identification Number: 06-6002010
4. Contact Person for Service List ***(required)*** ☐ ***(check if new/updated)***

   Name: Shawn Greeley, Groton Municipal Video Specialist

   Mailing Address: Town of Groton Library - GMTV, 52 Newtown Rd. Groton, CT 06333

   Phone Number: 860-449-7173

   Email Address: spgreeley@groton-ct.gov
5. Additional Contact Person for Service List ***(optional)*** ☐ ***(check if new/updated)***

   Name: _____

   Mailing Address: _____

   Phone Number: _____

   Email Address: _____
6. Authorized Representative ***(required)***

   ***Note: The authorized representative will not be on the service list unless also listed as a contact person, above.***

   Name: John Burt, Town Manager

   Mailing Address: Groton Town Hall, 45 Fort Hill, Groton, CT 06340

   Phone Number: 860-441-6630

   Email Address: jburt@groton-ct.gov
7. Purpose of Grant (check one):

   ☑ PEG Grant (capital and equipment for producing/procuring programming)

   ☐ ETI Grant (educational technology initiative)
8. Amount Requested: $ $ 115,361.00

   ***Note: The "Amount Requested" will autocalculate upon completion of the Itemized Budget, below.***

## II. Applicant Eligibility

9. Organization Type (check one):

**PEG (Programming)**

☐ Local community antenna television and video advisory council

☐ State-wide video advisory council

☐ Public, educational and governmental programmer

☑ Public, educational and governmental studio operator

**ETI (Educational Technology Initiative)**

☐ Board of Education

☐ Public library

☐ Other education entity: _____

10. Which of the following describes your organization?

☐ Connecticut State Agency

☑ Municipality

☐ Nonprofit 501(c)(3) organization. Provide Secretary of the State No.: _____

☐ Other (e.g., LLC or corporation). Provide Secretary of the State No.: _____

11. For each of the PEGPETIA Grant cycles below, indicate whether your organization received a grant and submitted all required compliance filings:

| Docket No. | Grant Received? | Date of Compliance Filing | | |
|---|---|---|---|---|
| | | Order No. 2 | Order No. 3 | Order No. 4 |
| 24-10-02 | ☑ Yes ☐ No | 4/10/25 | 5/14/26 | 5/14/26 |
| 23-10-02 | ☑ Yes ☐ No | 12/23/24 | 12/23/24 | 12/23/24 |
| 22-10-02 | ☑ Yes ☐ No | 2/14/24 | 2/8/24 | 2/8/24 |
| 21-10-13 | ☑ Yes ☐ No | 1/25/23 | 1/30/23 | 1/30/23 |

***Note: If you have received a grant in any of the dockets listed above, you must submit any outstanding compliance filings prior to submitting this application.***

## III. Investment or Initiative Eligibility

### 12. Provide a description of proposed capital and equipment investment or education technology initiative. State expected enhancements to PEG programming or education technology. If applicable, state why similar equipment is not available from the local community access studio (PEG only).

The Town of Groton - Groton Municipal Television (GMTV) is requesting grant funding to replace, upgrade and enhance video production equipment at its government access studio and facilities and for remote government access productions. The equipment will improve video quality and help to streamline video production by using the latest technology and will help interconnect GMTV equipment on and off-site. Upgrading the Town's GMTV production equipment will significantly improve Groton government access programming by allowing staff to produce higher quality programming in less time. Notable video production equipment that the Town is seeking to purchase for government access production, with grant funds, are:

- Video PC editing stations to replace aging post-production PCs at the GMTV studio that currently are having trouble with higher quality video.
- New laptop to replace a 12-year old laptop used for the studio's teleprompter system as well as a mini PC for the Town Hall Annex production site to assist with cablecasting and streaming controls for Town meetings.
- Virtz Tricaster Mini production system with Control Surfaces for remote town meeting sites. The Mini Tricaster will replace an older Tricaster system used for recording Town meetings at the Town Hall Annex that is at "End of Life" and can no longer handle NDI and has minimal bandwidth to stream back to the GMTV headend for live cablecasting. The new control surfaces will eliminate the need for old Birddog PTZ control keyboards used with Tricasters at Town Hall Annex and Thrive Active Living Center. The Control Surfaces will allow for interconnecting the productions sites and the GMTV studio to control production and recording equipment.
- A new larger equipment rack at the Town Hall Annex to accommodate the current and new audio/video equipment.
- Mackie 16 channel mixer to replace a 20 year old Mackie mixer used for Town meetings at the Town Hall Annex.
- Sony FX6 Digital Cinema Camera Kits with 24-105mm Lens with lens, monitor, mic adapter, case, batteries, charger, light, memory card and Manfrotto tripod to improve government access programming quality.
- Audio equipment that includes, new TOA wireless microphones systems to replace two older microphone systems that have intermittent power issues at our Thrive Active Living production site; new Mackie audio mixer to replace a 12-year old broken Mackie at the GMTV studio; new remote audio podcast equipment that will be used to record remote podcast style videos.
- Sennheiser Ceiling Microphone for Library Conference Room that is used for Town meetings that are cablecast and posted to YouTube.
- NETGEAR M4350-44M4X4V 48-Port Multi-Gig PoE++ Compliant Managed AV Network Switch for GMTV control room / studio / library meeting room PTZ system to replace a 7 year old Netgear 24 PoE that is undersized for GMTV needs.
- Miscellaneous power equipment: rechargeable batteries, Sennheiser charging stations and UPS systems for editing stations, production and Tricaster equipment.

The new equipment will give the Town staff the tools to increase the quality and quantity of local government access programming for the Groton community.

### 13. Identify the affected geographical area(s) and/or school system(s) that will benefit from the investment or initiative:

The primary affected area is the Town of Groton encompassing 32 square miles with a population of approximately 39,000 and a school district enrollment of 5,000 students. The other franchise area towns of Ledyard, Voluntown, Stonington and North Stonington also have some indirect benefit as many of their residence work in Groton and have an interest in Groton government affairs. The total population of the four town is approximately 41,600.

### 14. State the number of subscribers served or students impacted:

The estimated subscribers of the Comcast and Breezeline Groton franchise is 26,297 (based on calculations using the 2025 SEC-TV Community Access Report to PURA). In addition, the Groton government access channel (GMTV) is also available across the entire State on Frontier Vantage TV.

15. List the schedule for implementation, including estimated dates for key milestones and completion.

***Note: Completed projects are not eligible.***

The estimated schedule to purchase and install the new Groton GMTV equipment for the replacement and upgrade project will be as follows: (subject to change based on PURA approval timeline):

- Equipment Specs put out to Town Bid or
  Identify State Contract for Purchase - May 28, 2027
- Bid Awarded - June 30, 2027
- Place Equipment Orders - July 23, 2027
- Installation of Equipment (by Town staff) completed by October 8, 2027
- Equipment brought into service by October 30, 2027

16. Identify objective performance measures that can be used to evaluate the success or effectiveness of the investment or initiative:

The performance objective is to use the new equipment provided by the grant to produce high quality programming at the Town's GMTV studio, town meeting spaces and remote GMTV productions. The goal is to produce approximately 60 government access programs, events, and meetings between November 1, 2027 and May 1, 2028 using the new equipment provided by the grant.

17. Description of organization, including experience and competence related to the proposed project:

The Town of Groton was designated the government access operator for Groton as the result of the September 6, 2013, MOU between the Town of Groton and Southeast Connecticut Television, and approved by the Connecticut Department of Public Utility Control (now PURA) via the Final Decisions of Docket No. 05-06-10RE01 and Docket No 11-02-05.

The Town funds a government access studio at the Groton Public Library that is staffed by a full-time Municipal Video Specialist, a full-time and part-time Municipal Video Technicians. All staff have a Bachelor's Degree in the field of communications and over 64 years of combined experience in video production.

The Town cablecasts a variety of programming from its headend on an exclusive full-time Groton government access channel called Groton Municipal Television (GMTV). GMTV is available on Comcast Channel 2, Breezeline Channel 9001 and Frontier Channel 6110. Over the past year, the Town of Groton's GMTV studio provided 446 original government access programs and town meetings as well as 1,244 municipal messages posted on GMTV government access channel. GMTV programming highlights include: Town sponsored event coverage (parades, ribbon cuttings, groundbreakings, ceremonies), Town meetings, Groton Election Results, Meet the Candidates and League of Women Voter Candidate Debates, Groton's issues oriented program, Welcome to Groton, Greater Groton Community Conversations, Ledge Light Health District's Healthwatch, Groton Public Library's @ Your Library and Discovering Authors, Groton Human Service's Family Forum, Library Lectures and Food Series, Clean Water Ways, Groton by GoPro and Drone Series featuring unique local attractions (such as Town Parks, Beaches and State Parks Fort Griswold and Bluff Point), and Groton Thrive 55+ Outdoor, Active, Traveling Senior Series promoting healthy outdoor activities for older adults.

## IV. Budget Information

18. Partner organization(s) or other funding sources (if applicable):

19. Have you completed the PEGPETIA Itemized Budget form below (with an itemized budget for the investment or initiative)?

☑ Yes.

☐ No. Explain:

20. Have you provided supporting documentation for each item, such as copies of bids, estimates, and quotes?

☑ Yes.

☐ No. Explain:

21. Are the non-equipment costs for design and engineering, installation, training, and warranties/insurance less than 10% of the overall grant request?

***Note: Software may be categorized as equipment. Other non-equipment expenses (such as salaries, service agreements, or stipends) are not permitted as part of the grant request.***

☑ Yes.

☐ No. Explain:

## V. PEG Grant CAP Acknowledgment

22. **For PEG Grant Applicants Only:** The Applicant understands that it must review and comply with the relevant community access provider operating rules and regulations, including the prohibition of the presentation of any advertising material designed to promote the sale of commercial products or services (including advertising by or on behalf of candidates for public office). The Applicant further acknowledges that no organization or company providing community access operations shall exercise editorial control over programming, except as to programming that is obscene and except as otherwise allowed by applicable state and federal law.

☑ Yes.

☐ No.

## VI. Signature of Authorized Representative

I, John Burt, am authorized to sign this application on behalf of the applicant organization. Under the penalty of law, by signing this application, I affirm that the information provided to the Authority is true and correct to the best of my knowledge and that any errors of omissions will be timely corrected and resubmitted.

I understand that grant funding may be denied due to failure to provide the information and supporting documentation required by this Application.

_____ 11-13-26

*(Signature)* *(Date)*

# STATE OF CONNECTICUT
## PUBLIC UTILITIES REGULATORY AUTHORITY

## PEGPETIA ITEMIZED BUDGET

***Instructions***

***Required Information***

You must provide this itemized budget for the capital and equipment investment or education technology initiative proposed in your application. For each expense, you must provide the following information:

(1) Name of expense

(2) Total amount of expense (unit cost x quantity)

(3) Brief description

(4) Quantity requested

(5) Unit price

(6) A copy of a bid, estimate, or similar documentation; and

(7) Type of cost (equipment, design, engineering, installation, training, warranty, insurance, other)

For each expense listed, you must attach a copy of the bid, estimate, or similar documentation.

***Note: The Authority cannot accept links to online vendors as documentation of expenses. You may, however, attach saved or printed copies of equipment listed for sale with online vendors as documentation.***

***Types of Costs***

Non-equipment costs (such as design, engineering, installation, training, warranties, or insurance) must be reasonable and should be limited to less than 10% of the overall grant. Other non-equipment expenses (such as salaries, service agreements, or stipends) are not permitted as part of the grant request.

***Note: Software may be categorized as equipment.***

### I. Applicant Information

1. Organization Name: Town of Groton - Groton Municipal Television
2. Docket Number: 26-10-02
3. Docket Name: Public Educational and Governmental Programming and Education Technology Investment Account (PEGPETIA) Grant Program

## II. Budget Template

| Expense | Amount | Description | Quantity | Unit Price | Bid/ Estimate Attached | Type of Cost |
|---|---|---|---|---|---|---|
| (Example) Studio Camera | $ 1,400.00 | (Example) Make, Model No. XYZ123, Qty 4, Unit Price $350 | 4 | $350/each | ✓ | Equipment |
| (Example) Camera Install | $ 175.00 | (Example) Installation of all cameras, connection to existing studio setup, and training personnel | 1 | $175 | ✓ | Installation |
| | | | | | | |
| Live Production System | $ 7,995.00 | Vizrt TriCaster Mini X HDMI MFR # FG-003265-R001 | 1 | $7995.00 | ✔ | Equipment |
| Production Switcher/PTZ Control | $ 17,990.00 | Vizrt Flex Control Panel for TriCaster Devices MFR #FG-003262-R001 | 2 | $8995.00 | ✔ | Equipment |
| Extended Warrranty | $ 738.00 | Vizrt ProTek Professional for TriCaster Mini X HDMI MFR #PTP-000108 | 1 | $738.00 | ✔ | Warranty |
| Extended Warranty | $ 1,710.00 | Vizrt ProTek Professional for TriCaster Flex MFR #PTP-000107 | 2 | $855.00 | ✔ | Warranty |
| Audio Mixer | $ 1,050.00 | Mackie 1604VLZ4 16-Channel 4-Bus Compact Mixer MFR #1604VLZ4 | 1 | $1050.00 | ✔ | Equipment |
| Audio Mixer | $ 440.00 | Mackie ProFX12v3+ 12-Channel Analog Mixer MFR #1604VLZ4 | 1 | $440.00 | ✔ | Equipment |
| Equipment Rack | $ 792.00 | Middle Atlantic Slim 5 Series Rack Frame (37 RU, 26" Depth) MFR #5-37-26 | 1 | $792.00 | ✔ | Equipment |
| Equipment Rack Side | $ 738.00 | Middle Atlantic Slim 5 Series Removable Steel Side Panels SP-5-37-26 MFR | 1 | $738.00 | ✔ | Equipment |
| Laptop | $ 1,457.00 | HP ProBook 4 G1i Notebook AI - 16" - Intel Core Ultra 7 - 255U - 16 GB RAM - 512 | 1 | $1457.00 | ✔ | Equipment |
| Laptop Service Plan | $ 416.00 | Electronic HP Care Pack Premium OnSite Support Extende Service Agreement 5 Yrs | 1 | $416.00 | ✔ | Warranty |
| Video Edit Workstation | $ 27,536.00 | HP Z8 Fury G5 Tower Workstation MFR #B3NR5UT#ABA | 2 | $13678.00 | ✔ | Equipment |
| Extended Warranty | $ 4,700.00 | HP Z8 Fury G5 Tower Workstation 4 Yr Extended Warranty MFR #B3NR5UT#ASA | 2 | $2350.00 | ✔ | Warranty |
| Video Edit Workstaton Backup Drive | $ 2,750.00 | Buffalo DriveStation Quad 24TB 4-Bay USB 3.0 RAID Array (4x6TB) MFR #HD-QH24TU | 2 | $1375.00 | ✔ | Equipment |
| Video Edit Workstation Monitor | $ 1,100.00 | BenQ VideoVue PV3200U 31.5" 4K HDR Video Editing Monitor MFR #PV3200U | 2 | $550.00 | ✔ | Equipment |
| PC/Tricaster UPS | $ 960.00 | CyberPower CP1500PFCLCD PFC Sinewave UPS MFR #CP1500PFCLCD | 4 | $240.00 | ✔ | Equipment |
| Camera | $ 17,396.00 | Sony FX6 Digital Cinema Camera Kit with 24-105mm Lens MFR #ILME-FX6VK | 2 | $8698.00 | ✔ | Equipment |
| Camera Batteries | $ 2,040.00 | Sony BP-U70 Lithium-Ion Battery Pack MFR #BP-U70 | 6 | $340.00 | ✔ | Equipment |
| Battery Charger | $ 856.00 | Sony Dual-Bay Battery Charger/AC Adapter for BP-U Batteries MFR #BCU2A/C | 2 | $428.00 | ✔ | Equipment |
| Camera Bag | $ 578.00 | PortaBrace Cinema Camera Case for PXW-FX6 and Long Lens | 2 | $289.00 | ✔ | Equipment |
| Tripod | $ 1,920.00 | Manfrotto 504X Fluid Head & MVTTWINMA Alum Tripod w/ mid sprear MFR #MVK504XTWI | 2 | $960.00 | ✔ | Equipment |
| **Total Amount:** | $ 115,361.00 | | | | | |

| Expense | Amount | Description | Quantity | Unit Price | Bid/ Estimate Attached | Type of Cost |
|---|---|---|---|---|---|---|
| Memory Cards | $ 2,500.00 | Lexar 1TB Professional GOLD CFexpress 4.0 Type A Memory Card (2-Pack) MFR #LCAGO | 2 | $1250.00 | ✔ | Equipment |
| Microphones | $ 936.00 | RODE PodMic 2-Person Podcasting Micr Kit w/ Desktop Arms & Cables BH #ROPODMIC50 | 2 | $468.00 | ✔ | Equipment |
| Portable Pod Audio Mixer | $ 579.00 | RODE RODECaster Pro II Integrated Audio Production Studio (Black) MFR #RCP II | 1 | $579.00 | ✔ | Equipment |
| Mic Batteries | $ 1,068.00 | Sennheiser BA 2015G2 Rechargeable Battery Pack MFR #BA2015 | 12 | $89.00 | ✔ | Equipment |
| Mic Battery Charger | $ 346.00 | Sennheiser L2015G2 Charging Station MFR #L2015 | 2 | $173.00 | ✔ | Equipment |
| Mic Battery Charger Power Supply | $ 152.00 | Sennheiser NT 1-1 US Power Supply for ASA 1 MFR #NT1-1-US | 2 | $76.00 | ✔ | Equipment |
| Ceiling Microphone | $ 4,099.00 | Sennheiser TeamConnect Ceiling Tile Microphone - White Metal | 1 | $4099.00 | ✔ | Equipment |
| POE Switch for Ceiling Mic | $ 108.00 | Netgear GS305P Ethernet Switch - 5 Ports - Gigibit Ethernet | 1 | $108.00 | ✔ | Equipment |
| Dante Adapter | $ 209.00 | Dante RJ-45/USB Network Adapter - 1xUSB 2.0 Type A - Male - 1 S RJ 45 Netowrk Fe | 1 | $209.00 | ✔ | Equipment |
| Ceiling Mic Installation | $ 2,400.00 | Ockers Broadcast Installation for Sennheiser TeamConnect Ceiling Microphone | 1 | $2400.00 | ✔ | Installation |
| Wireless Microphone | $ 758.00 | Toa Electronics WS-5225-AM Wireless Handheld Cardioid Cond, Mic Syst MFR #WS-522 | 2 | $379.00 | ✔ | Equipment |
| Rack Shelf | $ 106.00 | Kendall Howard Vented Component Shelf (1U 12" Deep) | 2 | $53.00 | ✔ | Equipment |
| Sliding Rack Shelf | $ 314.00 | Kendall Howard Heavy-Duty Rack Mountable Sliding Shelf MFR #1922-3-700-01 | 1 | $314.00 | ✔ | Equipment |
| Rack Casters | $ 121.00 | Middle Atlantic Caster Kit for Slim 5 Series (Locking Casters) MFR #5WL | 1 | $121.00 | ✔ | Equipment |
| SDI to HDMI Converter | $ 340.00 | Blackmagic Design Micro Converter SDI to HDMI 3G (with power supply) | 4 | $85.00 | ✔ | Equipment |
| PoE Network Switch | $ 5,600.00 | NETGEAR M4350-44M4X4V 48-Port Multi-Gig PoE++ t Managed AV Network Switc | 1 | $5600.00 | ✔ | Equipment |
| Mini PC (for THA rack) | $ 2,323.00 | HP Elite Mini 800 G9 Desktop Computer - Intel Core i7 13th Gen i7-13700T | 1 | $2323.00 | ✔ | Equipment |
| Monitor | $ 184.00 | HP Series 5 Pro 23.8 inch FHD Monitor - 524pf Mfg # 9D9L6UT#ABA | 1 | $184.00 | ✔ | Equipment |
| Laptop Carry Case | $ 56.00 | Mobile Edge The ECO 15.6" to 17.3" Notebook Messenger - notebook carrying case | 1 | $56.00 | ✔ | Equipment |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| **Total Amount:** | $ 115,361.00 | | | | | |

Docket No. Town of Groton - Groton Municipal Television

## Signature of Authorized Representative

I, John Burt, am authorized to sign this itemized budget on behalf of the applicant organization. Under the penalty of law, by signing this document, I affirm that the information provided to the Authority is true and correct to the best of my knowledge and that any errors of omissions will be timely corrected and resubmitted.

I understand that grant funding may be denied due to failure to provide the information and supporting documentation required by the application.

(Signature) 11-13-26 (Date)

Video Chat with a Pro Video Expert - Live | Chat Now



# Vizrt TriCaster Mini X HDMI

BH #VITCMXHDMI • MFR #FG-003265-R001 | 1 Question, 1 Answer | Share | Print

vizrt Authorized Dealer




Compare

In Stock: Not in NYC SuperStore | On Display in Store

**$7,995.00** +

**Save the Tax‡**
or Pay **$667/mo.** suggested payments for 12 Mos.[5] when you use the **Payboo** credit card.
Learn More

1 | Add to Cart

**Free Expedited Shipping**
Want it Wed 10/21? Order now w/ Free 2-Day Shipping to Groton, CT
Scheduled Store Pickup >

**Protect Your Gear**
Add a protection plan from $324.99 | See Options >

**Kit Configuration**
TriCaster Only | with Control Surface

Business Financing Options

**Ask an Expert**
Video Chat | Chat | Request Callback | Email | 800-894-9703

**Get The B&H Payboo® Credit Card**
See Exclusive Benefits >

## Key Features

- Simultaneously Broadcast, Stream, Record
- 4 x Mini DisplayPort Output
- Switch between 4 HDMI or 8 NDI Sources
- Up to 4K Resolution Video

Show More

The **NewTek TriCaster Mini X HDMI** is the ultimate live-production tool with multiple HDMI, NDI, mini DisplayPort, and USB connections that support up to 4K video for switching and media playback. The Mini X can add graphics, record, livestream, and perform other network-driven
More Details

## Recommended Accessories

View All



Pearstone High-Speed HDMI
**$5.99**

Add to Cart



Pearstone Cat 6 Snagless Network
**$14.99**

Add to Cart



Pearstone USB 3.2 Gen 2 Type-C
**$8.95**

Add to Cart



Blackmagic Design SmartView
**$689.00**

Add to Cart



Pearstone DisplayPort 1.2a
**$8.99**

Add to Cart



Vizrt TriCaster Mini 4K Control
**$2,595.00**

Add to Cart



Senal SMH-1000-MK2 Professional
**$99.95**

Add to Cart



Pearstone PM-TRS 1/4" TRS Male
**$8.95**

Add to Cart

# Vizrt MINI X Specs

## Processing

| | |
|---|---|
| **Switching Type** | Software |
| **Processing Resolution** | DCI 4K |
| **Color Processing** | 4:4:4YCbCr |
| **Audio Processing** | 96 kHz |
| **Latency** | 1 to 1.5 Frames |

## Input

| | |
|---|---|
| **Video Inputs** | 4x HDMI<br>2x RJ45 |
| **Input Video Format** | **HDMI**<br>DCI 4K at 25/29.97 fps<br>1080p at 25/29.97/50/59.94 fps<br>1080i at 50/59.94 fps<br>720p at 25/29.97/50/59.94 fps<br>480p at 25/50/59.94 fps |
| **Audio Inputs** | 1x 1/4" TRS Analog Female<br>2x 1/4" TRS Analog Female |
| **Embedded Audio Input** | HDMI: 2-Channel |

## Output

| | |
|---|---|
| **Video Outputs** | 4x DisplayPort Female |

## Items Included

- ✓ Vizrt TriCaster Mini X HDMI
- ✓ Keyboard
- ✓ Mouse
- ✓ 4 x Mini DisplayPort Adapter
- ✓ Power Cable
- ✓ Limited 1-Year Manufacturer Warranty

## Additional Resources

No additional resources available

| | |
|---|---|
| **Audio Outputs** | 1x 1/4" Balanced TS Female<br>1x 1/4" TRS Stereo Female |
| **Embedded Audio Output** | HDMI |
| **Multiview Output** | 3-Way Multiview |

## Connectivity

| | |
|---|---|
| **Other I/O** | 5x USB-A 3.1/3.2 Gen 2 Input<br>1x USB-C 3.1/3.2 Gen 2 Input |

## Hardware

| | |
|---|---|
| **Wireless** | Wi-Fi |

## Power

| | |
|---|---|
| **Power I/O** | 1x Barrel Input |

## General

| | |
|---|---|
| **Dimensions** | 9.08 x 7.89 x 4.23" / 23.06 x 20.04 x 10.74 cm |
| **Weight** | 8.4 lb / 3.8 kg |

## Packaging Info

| | |
|---|---|
| **Package Weight** | 19 lb |
| **Box Dimensions (LxWxH)** | 21.8 x 16.6 x 13.3" |

**Recently Viewed**

Browsing History Clear All



Vizrt TriCaster Mini X HDMI

Video Chat with a Pro Video Expert - Live | Chat Now



# Vizrt Flex Control Panel for TriCaster Devices

BH #VIFLXCP • MFR #FG-003262-R001 | 3 Questions, 3 Answers | Share | Print

vizrt Authorized Dealer



In Stock: Not in NYC SuperStore | On Display in Store

**$8,995.00** +

**Save the Tax‡**
or Pay **$750/mo.** suggested payments for 12 Mos.§ when you use the **Payboo** credit card.
Learn More

1 | Add to Cart

Free Expedited Shipping
Want it Wed 10/21? Order now w/ Free 2-Day Shipping to Groton, CT
Scheduled Store Pickup >

Protect Your Gear
Add a protection plan from $474.99 | See Options >

Business Financing Options

Ask an Expert
Video Chat | Chat | Request Callback | Email | 800-894-9703

Feedback

## Key Features

- Video and Audio Mixing, PTZ Control
- T-Bar and Manual Controls
- 1/4" Stereo Audio Inputs and Outputs
- NDI Connectivity

Show More

Use this **NewTek Flex Control Panel** in tandem with your preexisting TriCaster system to mix audio and video, control PTZ cameras, expand your audio inputs and outputs, incorporate NDI connectivity, and facilitate talkback communication in your studio space with a single panel. Tactile

More Details

Get The B&H Payboo® Credit Card
See Exclusive Benefits >

## Recommended Accessories

View All



Tether Tools
TetherPro USB 3.0
**$49.99**

Add to Cart



Pearstone Cat 6
Snagless Network
**$8.99**

Add to Cart




Digital

Vizrt 20 Hour
Professional
**$4,795.00**

Add to Cart

# Vizrt Flex Control Panel Specs

## General

| | |
|---|---|
| **Compatibility** | NewTek TriCaster 2 Elite / TriCaster 1 Pro / TriCaster TC1 / TriCaster 410 Plus / TriCaster Mini 4K / TriCaster Mini X |

## Inputs/Outputs

| | |
|---|---|
| **USB I/O** | 2 x USB-A 2.0 Female Input |
| **Video I/O** | 1x RJ45 Input/Output |
| **Audio I/O** | 2x 1/4" Mic Input<br>1x 1/4" Headphone Output<br>4x 1/4" Line Input<br>4x 1/4" Line Input |

## Power

| | |
|---|---|
| **Power Source** | PoE |

## Physical

| | |
|---|---|
| **Color** | Black |
| **Dimensions** | 25 x 9.1 x 3.8" / 63.5 x 23.1 x 9.7 cm |

## Packaging Info

| | |
|---|---|
| **Package Weight** | 14.5 lb |
| **Box Dimensions (LxWxH)** | 29.6 x 16 x 8.9" |

## Items Included

- ✓ Vizrt Flex Control Panel for TriCaster Devices
- ✓ Limited 1-Year Manufacturer Warranty

## Additional Resources

No additional resources available

Video Chat with a Pro Video Expert - Live | Chat Now



# Vizrt ProTek Professional for TriCaster Mini X HDMI

BH #VIPPTCMXH • MFR #PTP-000108 | Share | Print

vizrt Authorized Dealer




Digital

Electronic Download | No Store Display

**$738.00** +

**Save the Tax‡**
or Pay **$62/mo.** suggested payments for 12 Mos.§ when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $184.50 with PayPal. Learn more

This item cannot be returned.

1 | Add to Cart

Emailed within 1-3 Business Days

Protect Your Gear
Add a protection plan from $54.99 | See Options

Ask an Expert
Video Chat | Chat | Request Callback | Email |
866-839-7214

Get The B&H Payboo® Credit Card
See Exclusive Benefits >

Feedback

## Vizrt PTP-000108 Reviews

Video Chat with a Pro Video Expert - Live | Chat Now



# Vizrt ProTek Professional for TriCaster Flex

BH #VIPPTCF • MFR #PTP-000107 | Share | Print

vizrt Authorized Dealer




Digital

Electronic Download | No Store Display

**$855.00** +

**Save the Tax‡**
or Pay **$72/mo.** suggested payments for 12 Mos.[5] when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $213.75 with PayPal. Learn more

This item cannot be returned.

1 | Add to Cart

Emailed within 1-3 Business Days

**Protect Your Gear**
Add a protection plan from $64.99
See Options



**Ask an Expert**
Video Chat | Chat | Request Callback | Email |
866-839-7214

Feedback

Video Chat with a Pro Audio Expert - Live | Chat Now



# Mackie 1604VLZ4 16-Channel 4-Bus Compact Mixer

BH #MA1604VLZ4 • MFR #1604VLZ4 | ★★★★★ 3 reviews | 1 Question, 1 Answer | Share | Print

MACKIE. Authorized Dealer



In Stock | No Store Display

**$1,049.99** +

**Save the Tax‡**
or Pay **$88/mo.** suggested payments for 12 Mos.[5] when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $262.50 with PayPal. Learn more

1 | Add to Cart

Free 2-Day Shipping
Want it Wed 10/14? Order now w/ Free 2-Day Shipping to Groton, CT
Express Store Pickup in 30 mins >

Protect Your Gear
Add a protection plan from $77.99
See Options

Ask an Expert
Video Chat | Chat | Request Callback | Email |
800-894-9703

Get The B&H Payboo® Credit Card
See Exclusive Benefits >

## Key Features

- For Sound Reinforcement Applications
- 3-Band EQ
- 16x Onyx Preamps
- LED Meter

Show More

The **Mackie 1604VLZ4 16-Channel 4-Bus Compact Mixer** includes a combination of Onyx preamps and a high-headroom / low-noise design. All 16 channels feature an Onyx microphone preamplifier, line input, and insert in a compact 4-bus design built for application flexibility and

More Details

## Recommended Accessories

View All

Kopul Studio Elite 4000 Series

Pearstone PM-TRS 1/4" TRS Male

Mackie 1604-VLZ RotoPod Bracket

Auray MXB-1818B Padded N...

Add to Cart



Furman PL-8 C Power
$327.95
Add to Cart



Sony MDR-7506 Headphones
$98.00
Save $15.00
Add to Cart

Add to Cart



Hosa Technology XLR-802 8-
$60.70
Add to Cart

Add to Cart



QuikLok QL-400 Rolling
$149.99
Add to Cart

# Mackie 1604-VLZ4 Specs

| | |
|---|---|
| **Noise** | Main Mix Noise:<br>Main Mix Fader @ Unity, Channel Faders Down: -88.5 dBu (92 dB signal-to-noise ratio, ref +4 dBu)<br>Main Mix Fader @ Unity, Channel Faders @ Unity: -82.5 dBu<br>(20 Hz to 20 kHz bandwidth, 1/4" main out, channel gains at unity, channel EQs flat, all channels assigned to main mix, odd channels panned left, even channels panned right) |
| **Total Harmonic Distortion (THD)** | Microphone In to Insert Send: <0.0007%<br>Microphone In to Main Out: <0.005%<br>(1 kHz @ 35 dB gain, 20 Hz to 20 kHz bandwidth) |
| **Crosstalk / Attenuation** | Channel Mute Switch Engaged: -84 dBu<br>Channel Gain Knob Down: -84 dBu<br>(1 kHz relative to 0 dBu, 20 Hz to 20 kHz bandwidth, line in, 1/4" main out, gain @ unity) |
| **Frequency Response** | Microphone Input to Main Output (Gain @ Unity):<br>+0, -1 dB, 20 Hz to 50 kHz<br>+0, -3 dB, <10 Hz to >100 kHz |
| **Equivalent Input Noise** | 150 Ω Termination: -128.5 dBu, 20 Hz to 20 kHz<br>Microphone input to insert send out, maximum gain |
| **Common Mode Rejection Ratio** | Better than -70 dB @ 1 kHz |
| **Maximum Level** | Microphone In: +22 dBu<br>All Other Inputs: +22 dBu<br>Main Mix TRS Out: +28 dBu<br>All Other Outputs: +22 dBu |
| **Impedance** | Microphone In: 2.5 kΩ<br>Channel Insert Return: 2.5 kΩ<br>All Other Inputs: 10 kΩ or greater<br>Tape Out: 1.1 kΩ<br>All Other Outputs: 120 Ω |
| **Equalizer** | High Shelving: ±15 dB @ 12 kHz<br>Mid Peaking: ±15 dB sweep 100 Hz to 8 kHz |

## Items Included

- ✓ Mackie 1604VLZ4 16-Channel 4-Bus Compact Mixer
- ✓ Pair of Rack Ears
- ✓ Power Supply
- ✓ Limited 1-Year Manufacturer Warranty

## Additional Resources

**User Manual**
9.2 MB

| | |
|---|---|
| | Low Shelving: ±15 dB @ 80 Hz<br>Low Cut Filter: 18 dB/octave, -3 dB @ 75 Hz |
| **Power Consumption** | 50 W, 100 to 120 VAC, 50 to 60 Hz |
| **Operating Temperature** | 32 to 104°F (0 to 40°C) |
| **Fuse Rating** | 100 to 120V: 1 A slo blo, 5 x 20 mm<br>220 to 240V: 0.5 A slo blo, 5 x 20 mm |
| **Dimensions** | 17.0 x 17.3 x 5.1" (433.0 x 440.0 x 129.0 mm) |
| **Weight** | 20.0 lb (9.1 kg) |

## Packaging Info

| | |
|---|---|
| **Package Weight** | 29.2 lb |
| **Box Dimensions (LxWxH)** | 21 x 21 x 10" |


### Recently Viewed

Browsing History Clear All


Mackie 1604VLZ4 16-Channel 4-Bus...


Mackie ProFX12v3+ 12-Channel Analog...


Sony FX6 Digital Cinema Camera Kit..


Vizrt TriCaster Mini X HDMI


Vizrt TriCaster Prizm (2 RU)

See any errors on this page? Let us know

B&H News & Special Offers

Email Sign Up

Manage Existing Email Subscriptions

US Dollar

Live Chat

Sales & Expert Advice
800-894-9703

Customer Service
800-221-5743

Request Callback

Trade in Your Gear

**Customer Service & Help**
Return Policy
Track/Request a Return
Manage Catalog Subscription
Payments
International

**Company Information**
About B&H
Our NYC SuperStore
Hours of Operation
Payboo Credit Card
Affiliate Program

**Other B&H Sites**
Federal Marketplace
Student Advantage
B2B Corp. Govt. & Edu.
Event Space
Explora - News & Reviews

# Mackie ProFX12v3+ 12-Channel Analog Mixer with Built-In FX, USB Recording, and Bluetooth

MACKIE. Authorized Dealer

BH #MA12CHANMXFX • MFR #PROFX12V3+ | 1 Question, 1 Answer | Share | Print



+ 4

Compare

In Stock | No Store Display

**$439.99** +

**Save the Tax‡**
or Pay **$74/mo.** suggested payments for 6 Mos.§ when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $110.00 with PayPal. Learn more

1 Add to Cart

Free 2-Day Shipping
Want it Wed 10/21? Order now w/ Free 2-Day Shipping to Groton, CT
Express Store Pickup >

Protect Your Gear
Add a protection plan from $35.99 See Optio

Feedback

Channels

12-Channel | 10-Channel | 6-Channel

## Key Features

- High-Resolution GigFX+ Effects Engine
- 3-Ways to Record
- 24-Bit / 192 kHz 2x4 USB Audio Interface
- Bidirectional Bluetooth with Mix-Minus

Show More

Well suited for live sound, home recording, and content creators, the **Mackie ProFX12v3+** is a 12-channel professional analog mixer with powerful enhancements for studio-quality recordings and live streams. Capture your performance with Onyx preamps and channel EQ, add
More Details



**Ask an Expert**
Video Chat | Chat | Request Callback | Email | 800-894-9703

## Recommended Accessories View All

Add to Cart Add to Cart Add to Cart Add to Cart


Furman PL-PLUS DMC Power
$490.95
Add to Cart


Sony MDR-7506 Headphones
$113.00
Add to Cart


Pro Co Sound MT4XFXM-10
$86.95
Add to Cart


On-Stage MIX-400 V2 Mobile
$159.95
Add to Cart

# Mackie ProFX12 V3+ Specs

## Key Specs

| | |
|---|---|
| Number of Analog Input Channels | 12 (4 Mono / 8 Stereo) |
| Number of Mic Preamps | 7 |
| Analog Output Channels | |
| | Show More |
| EQ | 3-Band EQ |
| Built-In Effects | 24x Effect (Type Unspecified) |
| USB | USB-C |
| Wireless | Bluetooth |
| Rack Mountable | No |

## Items Included

- ✓ Mackie ProFX12v3+ 12-Channel Analog Mixer with Built-In FX, USB Recording, and Bluetooth
- ✓ USB-C Cable
- ✓ Power Supply
- ✓ Waveform OEM Download
- ✓ Limited 1-Year Manufacturer Warranty

## Additional Resources

Quick -Start-Guide
2.3 MB

## Mixer

| | |
|---|---|
| Max I/O Capacity | 12x Input / 4x Output |
| Number of Analog Input Channels | 12 (4 Mono / 8 Stereo) |
| Number of Mic Preamps | 7 |
| Analog Output Channels | 2x Stereo Master Output<br>1x Stereo Control Room/Monitor Output |

| | |
|---|---|
| **Mix Routing** | Stereo Main Mix<br>Stereo Aux Bus/Subgroup |
| **Faders & Level Adjustment** | No |
| **Meters** | **Main Meter:**<br>2x 12-Segment LED |

## Signal Processing

| | |
|---|---|
| **Gain/Trim Range** | -20 dB to +60 dB |
| **EQ** | 3-Band EQ |
| **EQ Parameters** | *Low:* ±15 dB at 80 Hz<br>*Mid:* ±15 dB at 2.5 kHz<br>*High:* ±15 dB at 12 kHz |
| **Filters** | High-Pass: 100 Hz, 18 dB/Octave |
| **Built-In Effects** | 24x Effect (Type Unspecified) |

## Digital Audio

| | |
|---|---|
| **Bit Depth** | 24-Bit |

## Performance

| | |
|---|---|
| **Frequency Response** | **Mic Input to Output:**<br>20 Hz to 30 kHz +0/-1 dB (Unity Gain) |
| **Max Input Level** | +22 dB |
| **I/O Impedance** | **Mic Input:**<br>3.3 Kilohms<br>**Insert Return:**<br>10 Kilohms<br>**Line Input:**<br>≥ 20 Kilohms<br>**Headphone Output:**<br>25 Ohms<br>**Main Output:**<br>120 Ohms (Unbalanced)<br>240 Ohms (Balanced) |

| | |
|---|---|
| THD+N | **Mic Input to Main Output:**<br>< 0.03% (+4 dBu) |

## Connectivity

| | |
|---|---|
| **Analog Inputs** | 2x Combo XLR-1/4" Balanced/Unbalanced Mic/Line/Hi-Z Input<br>5x XLR Balanced Mic Input<br>8x 1/4" TRS Balanced/Unbalanced Line Input (3 Stereo Pairs)<br>1x 1/8" / 3.5 mm TRS Unbalanced Stereo Line Input (1 Stereo Pair) |
| **Analog Outputs** | 2x XLR 3-Pin Balanced Stereo Main Output<br>2x 1/4" TRS Balanced Stereo Main Output<br>2x 1/4" TRS Balanced Stereo Control Room/Monitor Output (1 Stereo Pair)<br>2x 1/4" TRS Balanced Stereo Subgroup Output (1 Stereo Pair)<br>2x 1/4" TRS Balanced/Unbalanced Aux/Monitor Send<br>1x 1/4" TRS Unbalanced Stereo Headphone Output |
| **Phantom Power** | +48 V, Selectable On/Off (Applied to All Inputs) |
| **Digital I/O** | No |
| **MIDI I/O** | No |
| **USB** | 1x USB-C 2.0 (2-Track Record, Audio Streaming, Host Connection) |
| **USB I/O Capacity** | 2x Input / 4x Output |
| **Other I/O** | 1x 1/4" Footswitch Input |
| **Wireless** | Bluetooth |

## Compatibility

| | |
|---|---|
| **OS Compatibility** | macOS / Windows |

## Power

| | |
|---|---|
| **AC Input Power** | **Universal:**<br>100 to 240 VAC, 50 / 60 Hz |

Video Chat with a Pro Audio Expert - Live | Chat Now



# Middle Atlantic Slim 5 Series Rack Frame (37 RU, 26" Depth)

BH #MI53726 • MFR #5-37-26 | Share | Print

Middle Atlantic Products Authorized Dealer





Compare

In Stock: Not in NYC SuperStore | No Store Display

**$792.00** + **Save the Tax‡** when you use the **Payboo** credit card. Learn More

1 | Add to Cart for Price

Free 2-Day Shipping

Want it Wed 10/21? Order now w/ Free 2-Day Shipping to Groton, CT

Scheduled Store Pickup >

**Depth**

20" Depth | 26" Depth

**Rack Units**

8 RU | 14 RU | 29 RU | 37 RU | 43 RU

## Key Features

- Load Capacity: 400 lb
- Durable Steel Frame
- Versatile 19" Equipment Rack
- Lightweight, Open Design

Show More

Meet a wide range of project needs with the **Middle Atlantic Slim 5 Series Rack Frame**, a 19"-wide lightweight yet durable steel rack frame with an open design for easy access. Unique interlocking corner joints afford you an impressive max load capacity of 400 lb while making assembly easier.

More Details

**Ask an Expert**

Video Chat | Chat | Request Callback | Email | 800-894-9703

**Get The B&H Payboo® Credit Card**

See Exclusive Benefits >

Feedback

## Recommended Accessories

View All



eufy Security SmartTrack Link
**$19.99**
Save $10.00

Add to Cart



Lowell Manufacturing
**$273.86**

Add to Cart




Pearstone 0.5 x 6" Touch Fastener
**$6.99**

Add to Cart



Brother PTD610BT P-
**$114.99**

Add to Cart



QVS 41-Piece Technician's
**$17.97**

Add to Cart



Sensei Microfiber Lens Cleaning
**$4.99**

Add to Cart



Auray RS-2U Rack Shelf (2 RU)
**$24.99**

Add to Cart




Middle Atlantic HPS 10-32 3/4" Philips Truss-
**$13.50**

See Buying Details

# Middle Atlantic 26" D Specs

| | |
|---|---|
| **Rack Form Factor** | 37 RU |
| **Rack Depth** | 26" / 66 cm |
| **Load Capacity** | 400 lb / 181 kg |
| **Caster/Wheel** | No |
| **Fans** | No |
| **Material of Construction** | Steel |
| **Wall Mountable** | No |
| **Enclosure Design** | Open |
| **Environmental Resistance** | No |
| **Exterior Dimensions (W x H x D)** | 19 x 65 x 26" / 48.3 x 165.1 x 66 cm |
| **Weight** | 46 lb / 20.9 kg |

## Items Included

- ✓ Middle Atlantic Slim 5 Series Rack Frame (37 RU, 26" Depth)
- ✓ Limited Lifetime Warranty *(Non-Transferable)*

## Additional Resources

**User Manual**
4.4 MB

## Packaging Info

| | |
|---|---|
| **Package Weight** | 56 lb |
| **Box Dimensions (LxWxH)** | 72 x 22.5 x 9" |

Video Chat with a Pro Audio Expert - Live | Chat Now



# Middle Atlantic Slim 5 Series Removable Steel Side Panels SP-5-37-26 (Black)

BH #MISP53726 • MFR #SP-5-37-26 | Share | Print

Middle Atlantic Products Authorized Dealer






Special Order | Expected availability: 2-4 Weeks

No Store Display

**$737.10** + **Save the Tax‡** when you use the **Payboo** credit card. Learn More

This item cannot be canceled or returned.

1 | Add to Cart

Free Standard Shipping

**Ask an Expert**

Video Chat | Chat | Request Callback | Email | 800-894-9703



**Get The B&H Payboo® Credit Card**

See Exclusive Benefits >

Feedback

## Recommended Accessories

View All



Platinum Tools 8-in-1 Ratcheted

$14.57

Add to Cart



Brother PTD610BT P-

$114.99

Add to Cart




Middle Atlantic HPS 10-32 3/4" Philips Truss-

$13.50

See Buying Details

# Middle Atlantic Slim 5 Overview

*The **Middle Atlantic Slim 5 Series Removable Steel Side Panels SP-5-37-26 (Black)** are solid steel side panels designed for use with Middle Atlantic Slim 5 Series racks. Add an additional layer of protection and security to your setup. These panels are equipped with recessed lift handles and their own locking clips.*

*Vents at the top and bottom of the door ensure adequate airflow and keep your equipment cool. Panels are constructed from 16-gauge steel and once installed add 5/8" to the cabinet's overall width. This item includes one pair of side panels and is designed for use with Slim 5-37-26 racks.*

## Added Protection

Add side panels to your cabinet to protect your valuable equipment from dust and other foreign debris.

## Increased Airflow

Vents in the side panels ensure optimum airflow and extend the life of your equipment.

UPC: 656747052682

## Items Included

- ✓ Middle Atlantic Slim 5 Series Removable Steel Side Panels SP-5-37-26 (Black)
- ✓ 2 x Side Panels (1 Pair)
- ✓ Limited Lifetime Manufacturer Warranty *(Non-Transferable)*

## Additional Resources

No additional resources available


**Recently Viewed**

Browsing History Clear All


Middle Atlantic Slim 5 Series Removable...


Middle Atlantic Caster Kit for Slim 5..


Middle Atlantic Slim 5 Series Rack Frame...


Middle Atlantic Slim 5 Series Removable...


Middle Atlantic ERK-3525-CONFIG 35U...

See any errors on this page? Let us know

B&H News & Special Offers

Email Sign Up

Manage Existing Email Subscriptions

US Dollar

Live Chat

Sales & Expert Advice

# HP ProBook 4 G1i Notebook AI - 16" - Intel Core Ultra 7 - 255U - 16 GB RAM - 512 GB SSD - US - with HP Wolf Pro Security Edition (1 year)

Insight #: BB3R1UT#ABA Mfr #: BB3R1UT#ABA UNSPSC #: 43211503







Your price: USD $1,456.99

Item backordered

This item will ship once it's back in stock.

1 Add to cart

Protect your purchase

Add - Electronic HP Care Pack Premium Onsite Support - extended service agreement - 5 years - on-site | USD $415.99

View all protection plans

**Ask Nia - Insight's AI Assistant**

Have any questions about this product? Our AI assistant, Nia, will help you find the answers quickly.

Type a question...

Tech overview

HP ProBook 4 G1i Notebook AI - Intel Core Ultra 7 - 255U / up to 5.2 GHz - Win 11 Pro - Intel Graphics - 16 GB RAM - 512 GB SSD NVMe - 16" IPS 1920 x 1200 - Ethernet - Wi-Fi 6E, Bluetooth - pike silver - kbd: US - with HP Wolf Pro Security Edition (1 year)

View full product specifications

Specifications

## General

Orders(/insightweb/orderHistory)

| | |
|---|---|
| Product Type | Notebook |
| Operating System | Windows 11 Pro - English |
| Bundled with | HP Wolf Pro Security Edition (1 year) |

Login (/insightweb/login) or Create an account (/insightweb/endUser/createAccount) Cart(

## Processor / Chipset

| | |
|---|---|
| CPU | Intel Core Ultra 7 (Series 2) 255U |
| Max Turbo Speed | 5.2 GHz |
| Number of Cores | 12-core |
| Cache | L3 - 12 MB |
| Features | Intel Turbo Boost Technology, 14 Threads |

## Memory

| | |
|---|---|
| RAM | 16 GB (1 x 16 GB) |
| Technology | DDR5 SDRAM |
| Speed | 2800 MHz |
| Rated Speed | 2800 MHz |

+ View more specifications

# Compare similar

| | Current product | | | |
|---|---|---|---|---|
| Availability | | | | |
| Processor Manufacturer | | | | |
| Processor Type | | | | |
| Screen Size | | | | |
| Weight | | | | |
| | | (/en_US/shop/product/HP-EliteBook-8-G2i-Notebook-Next-Gen-AI-16-[illegible]) | (/en_US/shop/product/HP-EliteBook-8-G1a-Notebook-AI-14-AMD-[illegible]) | (/en_US/shop/product/HP-EliteBook-640-G11-Notebook-AI-Ready-14-[illegible]) |

# Product details




## Electronic HP Care Pack Premium Onsite Support - extended service agreement - 5 years - on-site

Insight #: U86DXE Mfr #: U86DXE

Your price: USD $415.99

In stock

Overview | Tech specifications | View full product details

## General

| | |
|---|---|
| Service Included | Parts and labor |
| Location | On-site |
| Full Contract Period | 5 years |
| Response Time | Next business day |
| Service Availability | 9 hours a day / 5 days a week |

## Details

| | |
|---|---|
| Service & Support | Extended service agreement - parts and labor - 5 years - on-site - response time: NBD - availability: 9 hours a day / Monday-Friday ¦ Technical support - remote diagnosis - 5 years |

## Compatibility Information

| | |
|---|---|
| Designed For | HP ProBook 440 G10 Notebook, 440 G11 Notebook, 445 G11 Notebook, 460 G11 Notebook, 465 G11 Notebook ¦ HP ProBook 4 16 G1i Notebook AI, G1i Notebook AI |

# HP Z8 Fury G5 Tower Workstation

BH #HEB3NR5UT • MFR #B3NR5UT#ABA | Share | Print

Authorized Dealer



Compare

## Key Features

- 2.9 GHz Intel Xeon w5-3535X 20-Core
- NVIDIA RTX 2000 Ada GPU (16GB GDDR6)
- Dual Gigabit Ethernet Ports
- 4 x Mini DisplayPort 1.4a
- Windows 11 Pro for Workstations (64-Bit)
- 64GB of 4800 MHz DDR5 ECC Registered RAM
- 2TB PCIe 4.0 x4 SSD
- 10 x USB-A 3.2 Gen 1 Ports
- USB Keyboard & Mouse Included

Show Less

The VR-ready **Z8 Fury G5 Tower Workstation** from **HP** offers more CPU performance in order to accelerate rendering with real-time ray tracing, data visualization, and model training, plus plenty of room to expand as demands change. The system is powered by a 2.9 GHz Intel Xeon w5-3535X

More Details

In Stock: Not in NYC SuperStore | No Store Display

**$13,767.52** +

**Save the Tax‡**
or Pay **$1,148/mo.** suggested payments for 12 Mos.§ when you use the **Payboo** credit card. Learn More

Business Financing Options

1 Free Item Included ($50.00)

Microsoft 365 Subscription not included: add to your purchase

1 | Add to Cart

Free 2-Day Shipping
Want it Mon 10/19? Order now w/ Free 2-Day Shipping to Groton, CT
Scheduled Store Pickup ›

Protect Your Gear
Add a protection plan from $1,119.99 — See Options ›

CPU | RAM | SSD | GPU

w5-3535X | 64GB | 2TB | RTX 2000 Ada

Shipping Restrictions: Sales and Export of this item to China, Hong K...

Savings Available:

Save Up to $825.55 — Build Bundle ›

Ask an Expert
Chat | Request Callback | Email | 800-952-1815

Feedback



**Get The B&H Payboo® Credit Card**
See Exclusive Benefits ›

## Recommended Accessories

View All



Microsoft Office Home & Business
**$239.99**
Add to Cart



Logitech MX Master 4 Wireless
**$119.99**
Add to Cart



Logitech MX Keys S Wireless
**$129.99**
Add to Cart



Belkin 12-Outlet Surge Protector
**$29.95**
Add to Cart



WD 20TB Elements Desktop
**$879.99**
Add to Cart



Logitech C920s HD Pro Webcam
**$69.99**
Add to Cart



Logitech H390 USB-C Headset
**$24.99**
Add to Cart



Wacom Intuos Bluetooth
**$129.95**
Add to Cart

# HP Z8 Fury G5 Specs

## Key Specs

| | |
|---|---|
| **Operating System** | Windows 11 Pro for Workstations |
| **Processor** | Intel Xeon w5-3535X |
| **GPU** | NVIDIA RTX 2000 Ada with 16 GB GDDR6 VRAM |
| **Installed RAM** | 64 GB |
| **Total Capacity** | 2 TB |
| **External Bays** | 2x 5.25"<br>1x Slim Optical Drive |
| **Inputs/Outputs** | 10x USB-A 3.0 / 3.1/3.2 Gen 1 |
| **Display I/O** | 4x Mini DisplayPort 1.4a Output |
| **Audio I/O** | 1x 1/8" / 3.5 mm Headphone/Microphone Input/Output<br>1x 1/8" / 3.5 mm Line Input/Output |
| **Wi-Fi** | No |

## Items Included

- ✓ HP Z8 Fury G5 Tower Workstation
- ✓ HP Wired Desktop 320K Keyboard
- ✓ HP Wired 320M Mouse (Black)
- ✓ HP Wolf Pro Security Edition
- ✓ Power Cord
- ✓ Limited 1-Year Manufacturer Warranty

**Free Items Included**

- ✓ Bitdefender Total Security (Download, 5 Devices, 6 Months)

## Additional Resources

More from

| | |
|---|---|
| **Keyboard** | USB Full-Size Keyboard with Number Pad |
| **Pointing Device** | USB Mouse |
| **Power Supply** | 1125 W with IEC |
| **Operating System** | Windows 11 Pro for Workstations |

## Performance

| | |
|---|---|
| **Chipset** | Intel W790 |
| **Processor** | Intel Xeon w5-3535X |
| **CPU Socket** | LGA 4677 |
| **CPU** | 20-Core: 2.9 to 4.8 GHz |
| **Dedicated AI Cores** | No |
| **L3 Cache** | 52.5 MB |
| **GPU** | NVIDIA RTX 2000 Ada with 16 GB GDDR6 VRAM |
| **Installed RAM** | 64 GB |
| **RAM Type** | 4800 MT/s DDR5 |
| **RAM Configuration / Capacity** | 2x User-Replaceable 32 GB Module / 16 Slots<br>Supporting up to 2048 GB (DIMM) |

## Storage and Expansion

| | |
|---|---|
| **Total Capacity** | 2 TB |
| **Storage Drive Type** | 1x 2 TB / M.2 NVMe SSD |
| **Storage Expansion** | 1x M.2 Slot 2280 (PCIe 4.0 x8) [Occupied]<br>1x M.2 Slot 2280 (PCIe 4.0 x8) [Available]<br>4x 3.5" Bay (SATA III) [Available] |
| **PCI Expansion** | 2x PCIe 5.0 x16<br>1x PCIe 5.0 x4<br>2x PCIe 4.0 x16<br>2x PCIe 4.0 x4<br>1x PCIe 3.0 x8 |
| **Optical Drive** | No |
| **External Bays** | 2x 5.25" |

## Inputs / Outputs

| | |
|---|---|
| **Inputs/Outputs** | 10x USB-A 3.0 / 3.1/3.2 Gen 1 |
| **Display I/O** | 4x Mini DisplayPort 1.4a Output |
| **Audio I/O** | 1x 1/8" / 3.5 mm Headphone/Microphone Input/Output<br>1x 1/8" / 3.5 mm Line Input/Output |
| **Network I/O** | 2x RJ45 (Gigabit Ethernet) |
| **Built-In Speakers** | Yes |
| **Built-In Microphones** | No |
| **Media/Memory Card Slot** | No |

## Communications

| | |
|---|---|
| **Wi-Fi** | No |
| **Bluetooth** | No |

## Keyboard & Mouse

| | |
|---|---|
| **Keyboard** | USB Full-Size Keyboard with Number Pad |
| **Pointing Device** | USB Mouse |

## General

| | |
|---|---|
| **Security** | Dedicated Hardware TPM Security Chip, Kensington Lock Slot, Power-On Password |
| **Power Supply** | 1125 W with IEC |
| **Input Power** | 100 to 240 VAC, 50 / 60 Hz |
| **Operating Conditions** | 41 to 104°F / 5 to 40°C at 8 to 85% Humidity |
| **Certifications** | BIS, CB, CCC, CE, CEL, CEC, CECP, ENERGY STAR, EPEAT, ErP, FCC, GS, ICES, RoHS, TCO Certified, UL |
| **Dimensions** | 21.7 x 17.5 x 8.5" / 551.2 x 444.5 x 215.9 mm |
| **Weight** | 50.9 lb / 23.1 kg |

## Packaging Info

# HP Z8 Fury G5 Tower Workstation

MFR #B3NR5UT#ABA

Allstate PROTECTION PLANS

**4-YEAR** Drops & Spills

**$2,349.99**

Add Plan

- 2-Day Service Guarantee & Free Shipping Both Ways
- Tech Support | Mechanical, Electrical And Product Failure | 100% Parts & Labor
- Zero Hassle Claim Service, Available Online 24/7 | Worldwide Coverage

**This plan ***

- 2-Day Service Guarantee & Free Shipping Both Ways
- Tech Support | Mechanical, Electrical And Product Failure | 100% Parts & Labor
- Zero Hassle Claim Service, Available Online 24/7 | Worldwide Coverage

•

4-Year
**Manufacturer Warranty**

•

Limited 1-Year Warranty

# Buffalo DriveStation Quad 24TB 4-Bay USB 3.0 RAID Array (4 x 6TB)

BH #BUHDQH24TU3R • MFR #HD-QH24TU3R5 ★★★★★ 4 reviews 2 Questions, 3 Answers Share Print

BUFFALO Authorized Dealer




Compare

In Stock: Not in NYC SuperStore | No Store Display

**$1,374.99** ~~$1,649.99~~

Save $275.00

Limited supply at this price

+ **Save the Tax‡** or Pay **$115/mo.** suggested payments for 12 Mos.§ when you use the **Payboo** credit card. Learn More

Pay in 4 interest-free payments of $343.75 with PayPal. Learn more

1 Add to Cart

Free Expedited Shipping

Want it Wed 10/21? Order now w/ Free 2-Day Shipping to Groton, CT

Scheduled Store Pickup ›

Protect Your Gear

Add a protection plan from $79.99 See Options ›

Capacity

16TB (4 x 4TB) 24TB (4 x 6TB)

Shipping Restrictions: Sales and Export of this item to China, Hong K...

## Key Features

- 4 x 6TB NAS Hard Drives
- USB 3.0 Interface
- 4 Hot-Swappable Drive Bays
- RAID 0, 1, 5, 10, JBOD

Show More

The **DriveStation Quad 24TB 4-Bay USB 3.0 RAID Array** from **Buffalo** connects to your Windows and Mac system via an included USB 3.0 cable to provide 24TB of storage capacity. It features four hot-swappable bays that each contain a 6TB NAS hard drive, which is designed for continuous

More Details



**Ask an Expert**

Chat | Request Callback | Email | 800-894-9703

Feedback

## Recommended Accessories

View All



**Buffalo 2TB Replacement**
**$215.99**



**Pearstone USB 3.0 Type A Male**
**$9.95**



**APC Back-UPS 650 8 Outlet Surge**
**$109.99**



**Pearstone USB 3.2 Ge -A**
**$3.99**



**Buffalo DriveStation Quad 24TB 4-Bay USB 3.0 RAID Array (4 x 6TB)** **$1,374.99**

Overview | Specs | Reviews 4 | Q&A 2 | Accessories



CP1500PFCLCD
**$239.95**

Add to Cart

# Buffalo Quad External HDD Specs

## Key Specs

| | |
|---|---|
| **Storage Capacity** | 24 TB |
| **Included Drives** | **4x** 6 TB SATA III 3.5" HDD |
| **RAID** | Yes: Supported RAID Modes: 0 / 5 / 10 / JBOD |
| **Number of Bays** | 4x 2.5"/3.5" SATA III (Hot-Swap) |
| **Inputs/Outputs** | 1x USB-B 3.0 / 3.1/3.2 Gen 1 Input/Output |

## Drives

| | |
|---|---|
| **Storage Capacity** | 24 TB |
| **Included Drives** | **4x** 6 TB SATA III 3.5" HDD |
| **RAID** | Yes: Supported RAID Modes: 0 / 5 / 10 / JBOD |

## General

| | |
|---|---|
| **Number of Bays** | 4x 2.5"/3.5" SATA III (Hot-Swap) |
| **Inputs/Outputs** | 1x USB-B 3.0 / 3.1/3.2 Gen 1 Input/Output |
| **Media Card Slots** | No |

## Software

| | |
|---|---|
| **OS Compatibility** | Windows XP or Later<br>Windows Server 2008<br>macOS 10.6 or Later |

## Items Included

- ✓ Buffalo DriveStation Quad 24TB 4-Bay USB 3.0 RAID Array (4 x 6TB)
- ✓ Setup CD
- ✓ USB 3.0 Cable
- ✓ AC Adapter
- ✓ Limited 3-Year Manufacturer Warranty

## Additional Resources

**Guides & Manuals**

**More from manufacturer**

| | |
|---|---|
| Encryption | No |
| Security Features | Kensington Security Slot |

## Electrical

| | |
|---|---|
| Input Power | 100 to 240 VAC, 50 / 60 Hz |
| Power Consumption | 90 W |

## Physical

| | |
|---|---|
| Operating Conditions | 41 to 95°F / 5 to 35°C at 20 to 80% Humidity |
| Cooling | No |
| Dimensions | 9.17 x 6.06 x 5.87" / 23.29 x 15.39 x 14.91 cm |
| Weight | 12.1 lb / 5.5 kg |

## Packaging Info

| | |
|---|---|
| Package Weight | 14.35 lb |
| Box Dimensions (LxWxH) | 12.6 x 10.6 x 9.5" |

See any errors on this page? Let us know

B&H News & Special Offers

Email Sign Up

Manage Existing Email Subscriptions

US Dollar

Live Chat

Sales & Expert Advice
800-894-9703

Customer Service
800-221-5743

Request Callback

Trade in Your Gear

Customer Service & Help
Return Policy
Track/Request a Return
Manage Catalog Subscription
Payments
International

Company Information
About B&H
Our NYC SuperStore
Hours of Operation
Payboo Credit Card
Affiliate Program

Other B&H Sites
Federal Marketplace
Student Advantage
B2B Corp. Govt. & Edu.
Event Space
Explora - News & Reviews

# BenQ VideoVue PV3200U 31.5" 4K HDR Video Editing Monitor

BH #BEPV3200U • MFR #PV3200U | ★★★★½ 2 reviews | 3 Questions, 3 Answers | Share | Print

BenQ Authorized Dealer




+ 5

Compare

In Stock | No Store Display

**$549.99** ~~$699.99~~

Save $150.00

**Save the Tax‡**
or Pay **$92/mo.** suggested payments for 6 Mos.[5] when you use the **Payboo** credit card. Learn More

Pay in 4 interest-free payments of $137.50 with PayPal. Learn more

1 | Add to Cart

Free 2-Day Shipping
Want it Wed 10/21? Order now w/ Free 2-Day Shipping to Groton, CT
Express Store Pickup >

Protect Your Gear
Add a protection plan from $44.99 | See Options >

Savings Available:

Save Up to $5.00 | Build Bund

Feedback

## Key Features

- 31.5" 16:9 IPS Display
- 4K UHD 3840 x 2160 at 60 Hz
- HDMI 2.0 | USB-C (65W)
- 5 ms (GtG) Response Time

Show More

Designed for professional video creators, the **BenQ VideoVue PV3200U 31.5" 4K HDR Video Editing Monitor** delivers uniform Delta E ≤2 color accuracy and studio quality audio so that you can confidently create content without over-editing.

More Details

**Ask an Expert**
Chat | Request Callback | Email | 800-894-9703

**Get The B&H Payboo® Credit Card**
See Exclusive Benefits >

## Recommended Accessories

View All

Logitech MX Keys S Wireless
$179.99
Save $20.00

Gabor Levitouch Single-Arm
$99.95

Belkin 5-Port USB-C/4K HDMI
$51.95

Pearstone USB-C Male to HDMI
$32.9

Add to Cart



Logitech MX Master 4 Wireless
$119.99
Add to Cart



Logitech MX Keys S Wireless
$119.99
Save $10.00
Add to Cart



Logitech BRIO Ultra HD Pro
$169.99
Add to Cart



Kanto Living M300 Full Motion
$79.99
Add to Cart

# BenQ PV3200U Specs

## Key Specs

| | |
|---|---|
| **Display Size** | 31.5" |
| **Panel Type** | IPS-Type LCD |
| **Native Resolution** | 3840 x 2160 |
| **Maximum Brightness** | 400 nits / cd/m$^2$ (Peak in HDR Mode) |
| **HDR Support** | Yes: HDR10 |
| **Color Support** | 1.07 Billion Colors |
| **Color Gamut** | 100% sRGB<br>95% DCI-P3 |
| **Finish** | Anti-Glare |
| **Touchscreen** | No |
| **A/V Inputs** | HDMI 2.0 |
| **A/V Outputs** | 3.5 mm (Analog Audio) |
| **USB I/O** | USB-A 3.2 Gen 1 / USB-C 3.2 Gen 1 |
| **Built-In Speakers** | Yes |

## Display

| | |
|---|---|
| **Size** | 31.5" |
| **Panel Type** | IPS-Type LCD |
| **Aspect Ratio** | 16:9 |
| **Native Resolution** | 3840 x 2160 |

## Items Included

- ✓ BenQ VideoVue PV3200U 31.5" 4K HDR Video Editing Monitor
- ✓ Power Cable
- ✓ Hotkey Puck G3
- ✓ USB-C Cable
- ✓ Limited 3-Year Manufacturer Warranty

## Additional Resources

**User Manual**
8.9 MB

| | |
|---|---|
| **Maximum Brightness** | 400 nits / cd/$m^2$ (Peak in HDR Mode) |
| **HDR Support** | Yes: HDR10 |
| **Contrast Ratio** | 1000:1 |
| **Response Time** | 5 ms (GtG) |
| **Refresh Rate** | 60 Hz |
| **Variable Refresh Technology** | No |
| **Color Support** | 1.07 Billion Colors |
| **Color Gamut** | 100% sRGB<br>95% DCI-P3 |
| **Viewing Angle (H x V)** | 178 x 178° |
| **Curved Display** | No |
| **Finish** | Anti-Glare |

## Surface

| | |
|---|---|
| **Touchscreen** | No |

## Connectivity

| | |
|---|---|
| **A/V Inputs** | 3x HDMI 2.0 |
| **A/V Outputs** | 1x 1/8" / 3.5 mm (Headphone) |
| **HDCP Support** | Yes |
| **USB I/O** | 1x USB-C 3.0 / 3.1/3.2 Gen 1 with USB PD 65 W<br>3x USB-A 3.0 / 3.1/3.2 Gen 1 |
| **Multi-Input Support (PIP/PBP)** | No |

## Speaker

| | |
|---|---|
| **Built-In Speakers** | Yes |

## Electrical

| | |
|---|---|
| **Power Consumption** | Maximum: 180.0 W |

| | |
|---|---|
| **Input Power** | 100 to 240 VAC, 50 / 60 Hz |
| **Power Adapter Type** | Internal |

## General

| | |
|---|---|
| **Adjustments** | Rotation: 90°<br>Swivel: 30° (-15 to 15°)<br>Tilt: 25° (-5 to 20°)<br>Height: Up to 4.5" / 114.3 mm |
| **VESA Mounting-Hole Pattern** | 100 x 100 mm |
| **Lock Slot** | No |
| **Dimensions** | 28.1 x 18.9 x 8.2" / 713.7 x 480.1 x 208.3 mm (with Stand)<br>28.1 x 17.4 x 2.6" / 713.7 x 442 x 66 mm (without Stand) |
| **Weight** | 18.6 lb / 8.4 kg (with Stand)<br>13.2 lb / 6 kg (without Stand) |

## Packaging Info

| | |
|---|---|
| **Package Weight** | 27.02 lb |
| **Box Dimensions (LxWxH)** | 31.2 x 26.8 x 8.8" |

See any errors on this page? Let us know

B&H News & Special Offers

Email

Sign Up

Manage Existing Email Subscriptions

Customer Service & Help

Return Policy
Track/Request a Return
Manage Catalog Subscription
Payments
International
Site Directory
Shop By Brand
All Help Topics

Company Information

About B&H
Our NYC SuperStore
Hours of Operation
Payboo Credit Card
Affiliate Program
Manufacturers Directory
Career Opportunities

Other B&H Sites

Federal Marketplace
Student Advantage
B2B Corp. Govt. & Edu.
Event Space
Explora - News & Reviews
B&H Photography Podcast

US Dollar

Live Chat

Sales & Expert Advice
800-894-9703

Customer Service
800-221-5743

Request Callback

Trade in Your Gear

Store Pick Up

B&H Gift Cards

# CyberPower CP1500PFCLCD PFC Sinewave UPS

BH #CYCP1500PFCQ · MFR #CP1500PFCLCD ★★★★★ 302 reviews 24 Questions, 54 Answers Share Print Authorized Dealer



Compare

Top Seller

In Stock | On Display in Store

**$239.95** + **Save the Tax‡**
or Pay **$40/mo.** suggested payments for 6 Mos.§ when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $59.99 with PayPal. Learn more

1 Add to Cart

Free 2-Day Shipping
Want it Wed 10/21? Order now w/ Free 2-Day Shipping to Groton, CT
Express Store Pickup >

Protect Your Gear
Add a protection plan from $22.00 See Options

Ask an Expert
Chat | Request Callback | Email | 800-894-9703

Get The B&H Payboo® Credit Card
See Exclusive Benefits >

## Key Features

- Output: 1500VA / 1000W at 60 Hz
- 12 x NEMA 5-15R Total Outlets
- Input: 88-144 VAC at 57-63 Hz
- 6 x Battery/Surge & 6 x Surge Outlets

Show More

The **CP1500PFCLCD PFC Sinewave UPS** from **CyberPower** is a mini-tower device with line-interactive topology that provides battery backup via sine wave output and surge protection for desktop computers, workstations, networking devices, and home entertainment systems requiring active PFC
More Details

## Recommended Accessories View All

Feedback

Add to Cart



Belkin 12-Outlet Surge Protector
$29.95

Add to Cart

Add to Cart



Pearstone Cat 6 Snagless Network
$8.99

Add to Cart

Add to Cart



Pearstone USB 2.0 Type-A Male
$3.99

Add to Cart

Add to Cart




Pearstone 0.5 x 6" Touch Fastener
$6.99

Add to Cart

# CyberPower CP1500PFC Specs

## Key Specs

| | |
|---|---|
| **Total Outlets** | 12x NEMA 5-15R (2 Transformer-Sized) |
| **Plug Type** | NEMA 5-15P Offset Right-Angle |
| **Surge Protection** | Yes: 1445 Joules |
| **Maximum Wattage** | 1000 W |
| **Full-Load Runtime** | 2.5 Minutes |

## General

| | |
|---|---|
| **Total Outlets** | 12x NEMA 5-15R (2 Transformer-Sized) |
| **Protected Outlets** | 6x NEMA 5-15R (Battery and Surge)<br>6x NEMA 5-15R (Surge Only) |
| **Plug Type** | NEMA 5-15P Offset Right-Angle |
| **USB Charging Ports** | 1x USB-A (3.1 A)<br>1x USB-C (3.1 A) |
| **SmartSlot Interface** | No |
| **Coax Protection** | No |
| **Data Line Protection** | RJ45 |

## Items Included

- ✓ CyberPower CP1500PFCLCD PFC Sinewave UPS
- ✓ USB-B to USB-A Cable
- ✓ Limited Lifetime $500,000 Connected Equipment Guarantee
- ✓ Limited 3-Year Manufacturer Warranty *(UPS and Battery)*

## Additional Resources

**User Manual**
1.3 MB

**More from manufacturer**



CyberPower CP1500PFCLCD PFC Sinewave UPS **$239.95**

Overview | Specs | Reviews 302 | Q&A 24 | Accessories

| Support | |
|---|---|
| **Topology** | Line Interactive |
| **Transfer Time** | < 4 ms |

## Power

| | |
|---|---|
| **Surge Protection** | Yes: 1445 Joules |
| **Maximum Wattage** | 1000 W |
| **Nominal Input Voltage** | 120 VAC |
| **Input Voltage Range** | 88 to 144 VAC |
| **Input Frequency** | 60 Hz ± 3 Hz |
| **Nominal Output Voltage** | 120 VAC |
| **Output Frequency** | 60 Hz ± 1% |
| **Load Capacity** | 1500 VA |
| **Waveform** | Sine Wave |

## Battery

| | |
|---|---|
| **Battery Capacity** | (108 VaH) |
| **Chemistry** | Lead-Acid |
| **Full-Load Runtime** | 2.5 Minutes |
| **Half-Load Runtime** | 10 Minutes |
| **Recharge Time** | 8 Hours |
| **User Replaceable** | Yes |
| **Replacement Battery** | RB1290X2 |
| **Hot-Swap Support** | Yes |
| **External Battery Connection** | No |

## Physical

| | |
|---|---|
| Cable Length | 5' / 1.5 m |
| Rackmount Size | No |
| Dimensions (W x H x D) | 3.9 x 11 x 14" / 9.9 x 27.9 x 35.6 cm |
| Weight | 24.9 lb / 11.3 kg |

## Packaging Info

| | |
|---|---|
| Package Weight | 25 lb |
| Box Dimensions (LxWxH) | 17.5 x 15.2 x 7.3" |

## Sponsored



CyberPower EC750G Ecologic Series...
★★★★★ 1
$109.95



VERTIV Liebert PowerUPS 100 VRLA Standby Series...
$81.99



CyberPower CP2000PFCRM2U PFC Si...
★☆☆☆☆ 1
$449.95

## Customers Also Viewed



CyberPower CP1000PFCLCD PFC...
★★★★½ 86
$179.95



APC Smart-UPS C Battery Backup & Surge Protect...
★★★★½ 42
$621.23



APC Smart-UPS SRT 3000VA Rack Mount 120...
★★★★★ 8
$5,692.99



CyberPower CP1500PFCLCDTAA PFC...
★★★★★ 1
$309.95



CyberPower CP1000AVRLCD Int
★★★★½ 72
$175.95

Recently Viewed

Browsing History Clear All

Video Chat with a Pro Video Expert - Live | Chat Now



# Sony FX6 Digital Cinema Camera Kit with 24-105mm Lens

SONY Authorized Dealer

BH #SOFX6K • MFR #ILME-FX6VK | ★★★★★ 66 reviews | 26 Questions, 31 Answers | Share | Print




+ 7

Compare

In Stock | No Store Display

**$8,698.00** +

**Save the Tax‡**
or Pay **$725/mo.** suggested payments for 12 Mos.§ when you use the **Payboo** credit card.
Learn More

1 | Add to Cart

Free 2-Day Shipping
Want it Tue 10/20? Order now w/ Free 2-Day Shipping to Groton, CT
Express Store Pickup in 30 mins ›

Protect Your Gear
Add a protection plan from $215.99
See Options ›

Configuration

| Body Only $7,298.00 | With 24-105mm Lens $8,698.00 |
|---|---|

Business Financing Options

## Key Features

- 4K Full-Frame 10.2MP CMOS Exmor R Sensor
- 15+ Stops of Dynamic Range in S-Log 3 EI
- DCI 4K60p / UHD 4K120p / 1080p240
- Compact Form Weighs Just <2 lb

Show More

Developed to offer versatile, cine-style imaging in a truly compact form, the **FX6 Full-Frame Camera Kit** from **Sony** pairs the FX6 camera with the 24-105mm f/4 G OSS E-mount zoom lens. With the ability to capture up to 15+ stops of dynamic range, Sony's S-Cinetone gamma for filmlike skin tones,
More Details

Ask an Expert
Video Chat | Chat | Request Callback | Email | 800-894-9703

Get The B&H Payboo® Credit Card
See Exclusive Benefits ›

## Recommended Accessories

View All



Essential

Sony 240GB CFexpress 4.0

$268.00

Add to Cart



Sony FE PZ 28-135mm f/4 G OSS

$2,898.00

Save $100.00

Add to Cart



Sony MRW-G3 CFexpress Type A

$148.00

Add to Cart



HPRC 2550W Wheeled Hard

$299.99

Save $47.51

Add to Cart



Vocas E-Mount to PL Adapter with

$581.14

Add to Cart



ZILR BPU100 Battery with USB-

$149.99

Add to Cart



Tilta Camera Cage for Sony FX6 with

$279.00

Add to Cart



SmallRig Swivel and Tilt

$18.74

Save $6.25

Add to Cart

# Sony FX6 E Mount Specs

## Key Specs

| | |
|---|---|
| **Lens Mount** | Sony E |
| **Image Sensor** | Full-Frame |
| **Effective Sensor Resolution** | 10.2 Megapixel (1420 x 802) |
| **Image Stabilization** | No |
| **ISO/Gain Sensitivity** | Native: 800 to 12,800 (320 to 409,600 Extended)<br>Gain: -3 to 18 dB |
| **Max Recording Modes** | Up to DCI 4K from 1 to 59.94 fps |
| **Max Video Output** | **Raw 16-Bit**<br>Up to DCI 4K at 23.98/24.00/25/29.97/50/59.94 fps |
| **Media/Memory Card Slot** | Dual Slot: CFexpress Type A / SDXC (UHS-II) |
| **Mobile App Compatible** | No |
| **Battery** | Sony BP-U Series |

## Imaging

| | |
|---|---|
| **Lens Mount** | Sony E |
| **Lens Communication** | Yes |
| **Image Sensor** | Full-Frame CMOS |

## Items Included

- ✓ Sony FX6 Digital Cinema Camera Kit with 24-105mm Lens
- ✓ Sony FE 24-105mm f/4 G OSS Lens
- ✓ Handle Unit
- ✓ 3.5" LCD Monitor
- ✓ Grip Remote Control
- ✓ Sony BP-U35 Lithium-Ion Battery Pack
- ✓ BC-CU1 Battery Cradle
- ✓ AC Adapter
- ✓ Power Cord
- ✓ USB-C Cable
- ✓ LCD Hood
- ✓ Cold Shoe Kit
- ✓ Lens Mount Cap
- ✓ Handle Connector Cap
- ✓ Limited 1-Year Manufacturer Warranty

## Not Included

- × Essential Recording Me

| | |
|---|---|
| **Image Stabilization** | No |
| **Built-In ND Filter** | 1 to 7 Stop Electronic ND Filter |
| **Capture Type** | Stills & Video |

## Exposure Control

| | |
|---|---|
| **Shutter Type** | Electronic Rolling Shutter |
| **Shutter Speed** | 1/8000 to 1 Second |
| **Shutter Angle** | 5 to 360° |
| **ISO/Gain Sensitivity** | Native: 800 to 12,800 (320 to 409,600 Extended)<br>Gain: -3 to 18 dB |
| **Advertised Dynamic Range** | 15 Stops |
| **White Balance** | Range: 2000 to 15,000K |

## Focus

| | |
|---|---|
| **Focus Mode** | Automatic, Manual Focus |

## Video Capture

| | |
|---|---|
| **Internal Recording** | **XAVC-I 4:2:2 10-Bit**<br>4096 x 2160 from 1 to 59.94 fps (240 to 600 Mb/s)<br>3840 x 2160 from 1 to 59.94/100 fps (240 to 600 Mb/s)<br>1920 x 1080p from 1 to 59.94/100/150/200/240 fps (89 to 222 Mb/s)<br>**XAVC-L 4:2:0 8-Bit**<br>3840 x 2160 from 1 to 59.94/100 fps (100 to 150 Mb/s)<br>**XAVC-L 4:2:2 10-Bit**<br>1920 x 1080p from 1 to 59.94/100/150/200/240 fps (35 to 50 Mb/s) |
| **Video Output** | **Raw 16-Bit**<br>4096 x 2160 at 23.98/24.00/25/29.97/50/59.94 fps<br>3840 x 2160 at 23.98/25/29.97/50/59.94 fps |
| **Fast-/Slow-Motion Support** | Yes |
| **Gamma Curve** | HDR-HLG, S Cinetone, Sony S-Log, Sony S-Log 3 |
| **Built-In Microphone** | Stereo<br>Mono |
| **Audio Recording** | AVC-Intra, AVC-Long: 4-Channel, 24-Bit at 48 kHz via LPCM Audio |

## Additional Resources

**User Manual**
3.7 MB

**Firmware Updates**
v6.01, SEP '26

**More from manufacturer**

## Interface

| | |
|---|---|
| **Media/Memory Card Slot** | Dual Slot: CFexpress Type A / SDXC (UHS-II) |
| **Internal Storage** | No |
| **Video I/O** | 1x BNC (12G-SDI) Output<br>1x HDMI Output |
| **Audio I/O** | 2x XLR 3-Pin Mic/Line Input<br>1x 1/8" / 3.5 mm TRS Stereo Headphone Output |
| **Power I/O** | 1x Barrel (19.5VDC) Input |
| **Other I/O** | 1x BNC (Timecode) Input/Output<br>1x USB-C<br>1x Micro-USB<br>1x 2.5 mm Sub-Mini (LANC) Control |
| **Wireless** | Wi-Fi 5 (802.11ac) / NFC |
| **Mobile App Compatible** | No |
| **Global Positioning (GPS, GLONASS, etc.)** | No |

## Monitor

| | |
|---|---|
| **Display Type** | Primary Monitor: Included External 3.5" Touchscreen LCD |
| **Resolution** | Primary Monitor: 1280 x 720 (2,760,000 Dot) |

## Viewfinder

| | |
|---|---|
| **Type** | Optional, Not Included |

## Power

| | |
|---|---|
| **Battery** | Sony BP-U Series |
| **Power Consumption** | 18 W |

## Environmental

| | |
|---|---|
| **Operating Conditions** | 32 to 104°F / 0 to 40°C |
| **Storage Conditions** | -4 to 140°F / -20 to 60°C |

## General

| | |
|---|---|
| **Tripod Mount** | 1x 1/4"-20 Female<br>1x 3/8"-16 Female |
| **Accessory Mounting Thread** | 4x 1/4"-20<br>1x ARRI/Hirth Rosette |
| **Netflix Approved** | Yes |
| **Materials** | Magnesium Alloy |
| **Dimensions (W x H x D)** | 6 x 4.6 x 4.5" / 153 x 116 x 114 mm (Without Protrusions) |
| **Weight** | 2 lb / 890 g (Body Only) |

## Packaging Info

| | |
|---|---|
| **Package Weight** | 9.87 lb |
| **Box Dimensions (LxWxH)** | 12.1 x 11.6 x 11.6" |


### Recently Viewed

Browsing History Clear All


Sony FX6 Digital Cinema Camera Kit..


CyberPower CP1500PFCLCD PFC..


HP Z8 Fury G5 Tower Workstation


PortaBrace Cinema Camera Case for...


Manfrotto 504X Fluid Video Head &...

See any errors on this page? Let us know

B&H News & Special Offers

Email Sign Up

Manage Existing Email Subscriptions

US Dollar

Live Chat

Sales & Expert Advice
800-894-9703

Customer Service
800-221-5743

**Customer Service & Help**
Return Policy
Track/Request a Return
Manage Catalog Subscription

**Company Information**
About B&H
Our NYC SuperStore
Hours of Operation

**Other B&H Sites**
Federal Marketplace
Student Advantage
B2B Corp, Govt, & Edu

Video Chat with a Pro Video Expert - Live | Chat Now



# Sony BP-U70 Lithium-Ion Battery Pack

BH #SOBPU70 • MFR #BP-U70 | ★★★★½ 24 reviews | 7 Questions, 11 Answers | Share | Print

SONY Authorized Dealer






Compare

In Stock | No Store Display

**$339.95** +

**Save the Tax‡**
or Pay **$57/mo.** suggested payments for 6 Mos.§ when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $84.99 with PayPal. Learn more

1 | Add to Cart

**Free Standard Shipping**
Want it Mon 10/19? Order in the next 19:12 w/ Free Standard Shipping to Groton, CT

Express Store Pickup in 30 mins ›

**Protect Your Gear**
Add a protection plan from $32.99 | See Optio

**Similar item at a lower price**
Watson BP-U70 Lithium-Ion Battery Pack (... $141.24 | See Details ›

Feedback

## Key Features

- For Select Sony Camcorders (FS7, Etc.)
- 72Wh Capacity
- Communication to Viewfinder
- 4-LED Gauge

The **Sony BP-U70** is a high-performance 72Wh lithium-ion battery compatible with select Sony professional video cameras, such as the FS7 (see below). It's designed to communicate status data to the camera, and remaining capacity is displayed on the camera's viewfinder. This battery is
More Details

**Capacity**

BP-U35 | BP-U70 | BP-100



**Ask an Expert**
Video Chat | Chat | Request Callback | Email |
800-894-9703



**Get The B&H Payboo® Credit Card**
See Exclusive Benefits ›

## Recommended Accessories



Essential

**Watson Duo LCD Charger for BP-U**

**$99.99**

Add to Cart



**PortaBrace Clear Pouches (Set of 4)**

**$37.15**

Add to Cart

# Sony BP-U Overview

*The **Sony BP-U70** is a high-performance 72Wh lithium-ion battery compatible with select Sony professional video cameras, such as the FS7 (see below). It's designed to communicate status data to the camera, and remaining capacity is displayed on the camera's viewfinder. This battery is rechargeable in approximately 150 minutes using the optional BC-U1A/U2A charger. A 4-LED gauge displays remaining capacity as 20, 40, 60, and 80%.*

## Compatible Camcorders

- PXW-FS7M2
- PXW-FS7
- PXW-FS5M2
- PXW-FS5
- PXW-X160
- PXW-X180
- PXW-X200
- PXW-Z190
- PXW-Z280
- PMW-300K1

EAN: 4548736106161

## Items Included

- ✓ Sony BP-U70 Lithium-Ion Battery Pack
- ✓ Limited 1-Year Manufacturer Warranty

## Not Included

× Essential Chargers

## Additional Resources

**User Manual**
1.3 MB

## Sponsored



**SmallRig L-Series/NP-F970**



**SmallRig VB99 SE Mini V-**

Video Chat with a Pro Video Expert - Live | Chat Now



# Sony Dual-Bay Battery Charger/AC Adapter for BP-U Batteries

BH #SOBCU2AC • MFR #BCU2A/C | 5 Questions, 6 Answers | Share | Print

SONY Authorized Dealer




Compare

## Key Features

- Dual-Bay Lithium-Ion Battery Charger
- 12 VDC Power Output Cable
- For BP-U30, BP-U60 & BP-U90 Batteries

Charge your Sony BPU batteries and power select Sony cameras with this **Dual-Bay Battery Charger/AC Adapter for BPU Batteries** from **Sony**. The dual-bay lithium-ion battery charger works with charging BP-U30, BP-U60, and BP-U90 batteries. It can also function as an AC adapter providing 12

More Details

In Stock | No Store Display

**$428.00** +

**Save the Tax‡**
or Pay **$72/mo.** suggested payments for 6 Mos.[5] when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $107.00 with **PayPal.** Learn more

1 | Add to Cart

**Free Expedited Shipping**
Want it Mon 10/19? Order in the next 16:16 w/ Free 2-Day Shipping to Groton, CT

Express Store Pickup in 30 mins ›

**Protect Your Gear**
Add a protection plan from $59.99 See Optio

Used for $376.50 ›

Battery Bays

Dual-Bay | Single-Bay

**Ask an Expert**
Video Chat | Chat | Request Callback | Email | 800-894-9703

**Get The B&H Payboo® Credit Card**
See Exclusive Benefits ›

Feedback

## Recommended Accessories

View All



Sony BP-U70
Lithium-Ion
**$339.95**

Add to Cart

# Sony BCU2A/C Overview

*Charge your Sony BPU batteries and power select Sony cameras with this **Dual-Bay Battery Charger/AC Adapter for BPU Batteries** from **Sony**. The dual-bay lithium-ion battery charger works with charging BP-U30, BP-U60, and BP-U90 batteries. It can also function as an AC adapter providing 12 VDC power via the integrated cable that connects to any Sony camera model compatible with BP-U series batteries. The unit can also provide power to your camera while charging one battery at the same time.*

## Approximate Charge Times

- BP-U90: 190 minutes
- BP-U60/60T: 150 minutes
- BP-U30: 130 minutes

EAN: 4548736083592

## Items Included

- ✓ Sony Dual-Bay Battery Charger/AC Adapter for BP-U Batteries
- ✓ Limited 1-Year Manufacturer Warranty

## Additional Resources

**User Manual**
1.9 MB


**Recently Viewed**

Browsing History Clear All


Sony Dual-Bay Battery Charger/AC..


Sony BP-U70 Lithium-Ion Battery..


SWIT S-3602U Dual Charger/Adapter fo...


Dolgin Engineering TC40 Four-Position...


Dolgin Engineering TC400-TDM Four-...

See any errors on this page? Let us know

**B&H News & Special Offers**

US Dollar

Video Chat with a Pro Video Expert - Live | Chat Now



# PortaBrace Cinema Camera Case for PXW-FX6 and Long Lens

BH #POCINEMAFX6L · MFR #CINEMA-FX6L | ★★★☆☆ 3 reviews | 1 Question, 1 Answer | Share | Print

porta brace Authorized Dealer



+ 4

Compare

In Stock: Not in NYC SuperStore | No Store Display

**$289.00** ~~$314.00~~
Save $25.00

**Save the Tax‡**
or Pay **$49/mo.** suggested payments for 6 Mos.§ when you use the **Payboo** credit card. Learn More

Pay in 4 interest-free payments of $72.25 with PayPal. Learn more

1 | Add to Cart

Free 2-Day Shipping
Want it Tue 10/20? Order now w/ Free 2-Day Shipping to Groton, CT
Scheduled Store Pickup ›

Protect Your Gear
Add a protection plan from $32.99 See Optio

Trade in your gear for cash Get Starte

Feedback

Ask an Expert
Video Chat | Chat | Request Callback | Email | 800-894-9703

Get The B&H Payboo® Credit Card
See Exclusive Benefits ›

## Key Features

- Holds Sony FX6 with Lens
- Quick-Zip Lid with Linked Dual Zippers
- Lightweight, Padded Cordura Design
- Four Zippered Exterior Pockets

Show More

The black **Porta Brace Cinema Camera Case for PXW-FX6 and Long Lens** is designed to carry your FX6 camera with a lens mounted, so you can arrive on location and start shooting that much quicker. The bag is constructed with abrasion-resistant 1000D Cordura nylon that has a

More Details

## Recommended Accessories

View All



eufy Security SmartTrack Link
$19.99
Save $10.00
Add to Cart



Ruggard Neoprene
$9.95
Add to Cart



Ruggard TPL-A3CB 3-Dial
$12.95
Add to Cart



ORCA Trolley System
$76.50
Add to Cart

# PortaBrace CINEMA-FX6L Overview

*The black **Porta Brace Cinema Camera Case for PXW-FX6 and Long Lens** is designed to carry your FX6 camera with a lens mounted, so you can arrive on location and start shooting that much quicker. The bag is constructed with abrasion-resistant 1000D Cordura nylon that has a waterproof coating for improved water resistance. The interior case dimensions are 22" long, 7" wide, and 9.5" high, which make the case suitable for cameras other than the FX6 as well. A Quick-Zip lid with dual zippers allows you rapid and complete access to the main compartment.*

*This case features four zippered exterior pockets, a camera cinch strap, interior dividers, and a waterproof anti-slip bottom layer. A padded lens cup, a white balance card, and a zippered accessory pouch are also included. This lightweight case features a semi-rigid frame supported by 1" interior foam. The soft case can be carried by the dual suede-grip handles at the top, or by the removable, adjustable, padded shoulder strap.*

Designed to save time by transporting your camera in a ready-to-shoot configuration

Dual linked zippers provide speedy access to the main compartment

Lightweight yet strong design features Cordura nylon construction and an interior foam frame

Suede top handle and removable, padded shoulder strap provide carrying options

A waterproof panel protects the bottom of the bag when it's placed on the ground

Four large zippered exterior pockets, a padded lens cup, interior dividers, and an accessory pouch help keep your components organized

A white card is included for quick white balance adjustments

UPC: 686010692796

## Items Included

- ✓ PortaBrace Cinema Camera Case for PXW-FX6 and Long Lens
- ✓ PortaBrace Cradle Cinch for Camera Case Stability
- ✓ PortaBrace HB-40SS Super Strap
- ✓ PortaBrace Padded Cinema Lens Cup (Black)
- ✓ PortaBrace White Balance Card
- ✓ PortaBrace CS-B9 Stuff Sack
- ✓ Limited 1-Year Manufacturer Warranty

## Additional Resources

No additional resources available

Video Chat with a Pro Video Expert - Live | Chat Now



# Manfrotto 504X Fluid Video Head & MVTTWINMA Aluminum Tripod with Mid-Level Spreader

Manfrotto Imagine More
Authorized Dealer

BH #MAMVK504XTMA • MFR #MVK504XTWINMA | ★★★★☆ 19 reviews | 5 Questions, 6 Answers | Share | Print



In Stock | On Display in Store

**$959.95** +

**Save the Tax‡**
or Pay **$80/mo.** suggested payments for 12 Mos.§ when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $239.99 with PayPal. Learn more

1 | Add to Cart

Free Expedited Shipping
Want it Mon 10/19? Order now w/ Free 2-Day Shipping to Groton, CT
Express Store Pickup in 30 mins ›

Protect Your Gear
Add a protection plan from $54.99 | See Optio

Feedback

**Material**
Carbon Fiber | Aluminum

**Spreader Type**
Ground | Mid-Level

**Configuration**
Tripod System | Tripod System With Dolly

Trade in your gear for cash | Get Started ›

## Key Features

- Fluid Head with 26.5 lb Maximum Load
- Aluminum Tripod, Mid-Level Spreader
- Leveling Ball, Carry Bag
- 4-Step Counterbalance System

Show More

Support your camera rig with the **504X Flat-Base Fluid Video Head and Aluminum Tripod with Mid-Level Spreader** from **Manfrotto**. The system features the 504X fluid tripod head, the MVTTWINMA aluminum tripod, a leveling ball to adapt the head to the tripod, and a carry bag.
More Details

**Ask an Expert**
Video Chat | Chat | Request Callback | Email | 800-894-9703

Kit Contains:



Support your camera rig with the **504X Flat-Base Fluid Video Head and Aluminum Tripod with Mid-Level Spreader** from **Manfrotto**. The system features the 504X fluid tripod head, the MVTTWINMA aluminum tripod, a leveling ball to adapt the head to the tripod, and a carry bag.

The head features a 26.5 lb maximum load, a pan bar, a quick release plate, a counterbalance system with four presets, and its open bridge design that provides a stable, smooth performance and reduces weight. Its flat base with a 3/8"-16 female mounting thread allows compatibility with a wide range of tripods, monopods, sliders, jibs, and dollies, and a variety of rigs.

The twin-leg aluminum tripod provides a 55 lb maximum load and a 75/100mm ball head mount, and it features a mid-level spreader for additional stability. The 504X head mounts onto the MVTTWINMA tripod using the included leveling ball. A carry bag is included to store and transport the entire system.

## Manfrotto 504X Fluid Video Head with Flat Base

*The **504X Fluid Video Head with Flat Base** from **Manfrotto** features an open bridge design that provides a stable, smooth performance while reducing weight. The head's patented bridge technology allows for a wider top surface and longer sliding plate that add stability and balance. The head features a flat base with a 3/8"-16 female mounting thread that allows compatibility with a wide range of tripods, monopods, sliders, jibs, and dollies, and a variety of rigs.*

*With its ability to support up to 26.5 lb, the 504X can be used with a variety of video and photo cameras and rigs. The pan and tilt counterbalance system includes four presets from 0 to 4.8 to 9.7 to 14.3 lb, enabling proper balance no matter what the camera's size or weight.*

*At the same time, variable friction components with clearly marked degree scales and vibration-free movement bring new levels of fine-tuning to your tilts and pans. A leveling bubble keeps horizons from tilting, even in the dark, while independent*

## Items Included

- ✓ Manfrotto 504X Fluid Video Head with Flat Base
  - ✓ Pan Handle
  - ✓ 504PLONGR-1 Quick Release Plate
  - ✓ Limited 6-Month Manufacturer Warranty *Registration Extension: 5-Year (US Only)*
- ✓ Manfrotto Aluminum Twin Leg Video Tripod with Mid-Level Spreader
  - ✓ 100mm to 75mm Bowl Adapter Ring
  - ✓ Limited 6-Month Warranty, Extendable to 5 Years with Product Registration
- ✓ Leveling Ball
- ✓ Carry Bag

## Additional Resources

No additional resources available

*Whether you're using a pro camcorder or an accessorized DSLR, the 504X provides a 504PLONGR-1 sliding quick release plate with 1/4"-20 and 3/8"-16 threads to balance the camera properly on your rig. The head is made from durable aluminum and includes a pan bar that can be attached via rosettes on either the right or left side to help create smooth pan-and-tilt movements.*

### Quick Features

Fluid drag system for precise, smooth movements

Wide top surface and long sliding plate for extra stability and balance while using video or photo equipment

Four-step counterbalance system ensures quick setup and optimal performance

Rigid structure for maximum precision and improved responsiveness

Lightweight aluminum for optimum balance of strength and size

UPC: 719821444824

## Manfrotto Aluminum Twin Leg Video Tripod with Mid-Level Spreader

*The **Manfrotto Aluminum Twin Leg Video Tripod with Mid-Level Spreader** is a two-stage tripod with a 100mm bowl and a rigid internal leg lock mechanism. A 100-to-75mm bowl adapter is included, so you get the flexibility to use 100 or 75mm video heads. The tripod features twin spiked feet with rubber overshoes, allowing for use on various terrain as well as on flat, smooth surfaces. It supports up to 55 lb and has a maximum working height of 60", minimum height of 23", and folded length of a compact 27".*

*The tripod comes with a mid-level spreader with telescopic arms for added stability and for setting the leg angles accurately. The spreader is removable and the optional Manfrotto 165MV ground spreader can be attached instead. The tripod is also compatible with the Manfrotto 114MV and 181B dollies, sold separately.*

### Key Features

- Two-stage tripod with a 100mm bowl
- Rigid internal leg lock mechanism
- Includes aluminum 100-to-75mm bowl adapter
- Twin spiked feet with rubber overshoes

# Lexar 1TB Professional GOLD CFexpress 4.0 Type A Memory Card (2-Pack)

BH #LECAGL001TR2 • MFR #LCAGOLD001T-R2ENG ★★★★★ 27 reviews | 1 Question, 1 Answer | Share | Print

Lexar Authorized Dealer




Compare

Check compatibility with your camera

In Stock | No Store Display

**$1,249.99** + **Save the Tax‡** or Pay **$105/mo.** suggested payments for 12 Mos.$ when you use the **Payboo** credit card. Learn More

Pay in 4 interest-free payments of $312.50 with PayPal. Learn more

1 | Add to Cart

**Free Expedited Shipping**
Want it Wed 10/21? Order now w/ Free 2-Day Shipping to Groton, CT
Express Store Pickup ›

**Capacity**
256GB | 512GB | 640GB | 1TB | 2TB

**Quantity**
1 | 2

## Key Features

- 1TB Storage Capacity
- Max Read Speed: 1800 MB/s
- PCIe 4.0 Bus
- Max Write Speed: 1650 MB/s

Show More

Experience the CFexpress 4.0 advantage and capture 8K raw cinema-quality video with the **1TB Professional GOLD CFexpress 4.0 Type A Memory Card** from **Lexar**, which delivers read speeds of up to 1800 MB/s, write speeds of up to 1650 MB/s, and sustained write speeds of 1400 MB/s,
More Details

**Ask an Expert**
Video Chat | Chat | Request Callback | Email | 800-894-9703

**Get The B&H Payboo® Credit Card**
See Exclusive Benefits ›

## Recommended Accessories

View All

# Lexar 1TB CFexpress Type A Specs

| | |
|---|---|
| **Quantity** | 2 |
| **Card Type** | CFexpress Type A |
| **Storage Capacity** | 1 TB |
| **Bus Type** | PCI-Express 4.0 |
| **Read Speed** | Maximum: 1800 MB/s |
| **Write Speed** | Maximum: 1650 MB/s<br>Sustained: 1400 MB/s<br>Minimum: 400 MB/s |
| **Video Performance Guarantee** | VPG- 400 |
| **Operating Conditions** | 10 to 162°F / -12 to 72°C |
| **Storage Conditions** | -13 to 185°F / -25 to 85°C |

## Items Included

- ✓ Lexar 1TB Professional GOLD CFexpress 4.0 Type A Memory Card (2-Pack)
- ✓ Limited Lifetime Warranty
- ✓ Limited 10-Year Manufacturer Warranty *(Germany and Regions not Recognizing Lifetime Warranty)*

## Additional Resources

No additional resources available

## Packaging Info

| | |
|---|---|
| **Package Weight** | 0.125 lb |
| **Box Dimensions (LxWxH)** | 5 x 4.7 x 1.2" |

## Sponsored




Sony 128GB SF-M Tough Series UHS-II SDXC...
★★★★½ 241
**$188.00** ~~$208.00~~




Sony 128GB SF-G TOUGH Series UHS-II SDXC...
★★★★½ 378
**$243.00** ~~$343.00~~




Sony 120GB G Series XQD Memory Card
★★★★½ 271
**$198.00**

Video Chat with a Pro Audio Expert - Live | Chat Now



# RODE PodMic 2-Person Podcasting Microphone Kit with Desktop Arms and Cables (Red, Special 50th Anniversary Edition)

RØDE Authorized Dealer

BH #RODPODMICS02K (B&H Kit) | ★★★★★ 187 reviews | Share | Print




Compare

In Stock | Check Store Display List

**$467.94** ~~$495.94~~
Save $28.00

**Save the Tax‡**
or Pay **$78/mo.** suggested payments for 6 Mos.[5] when you use the **Payboo** credit card. Learn More

Pay in 4 interest-free payments of $116.99 with PayPal. Learn more

1 Free Item Included ($117.00)

1 | Add to Cart

Free 2-Day Shipping
Want it Tue 10/20? Order in the next 01:17:28 w/ Free 2-Day Shipping t Groton, CT
Express Store Pickup in 30 mins >

Protect Your Gear
Add a protection plan from $69.99
See Options >

## Key Features

- Official B&H 50th Anniversary Edition
- Includes Desktop Arms and 10' XLR Cables
- Includes Two PodMic Dynamic Microphones
- Optimized for Podcasting & Broadcasting

Show More

This **B&H Kit** includes two red 50th anniversary **Rode PodMic** dynamic XLR microphone, two Rode DS2 desktop studio arms, and two 10' XLR cables, creating a quality and cost-friendly audio capture solution for two-person podcast productions as well as online content creation and broadcasting.
More Details

**Color**
Black | White | Red B&H Edition

**Recording Configuration**
1-Person | 2-Person

**Kit Configuration**
Mic Only | w/ Mic Arm | w/ Desktop Stand | w/ PSA1+ Arm & Pop Filter | w/ DS2 Stand & Pop Filter

Feedback



**Ask an Expert**
Video Chat | Chat | Request Callback | Email |
800-894-9703



**Get The B&H Payboo® Credit Card**
See Exclusive Benefits >


## Recommended Accessories

View All



**Kopul Studio Elite 4000 Series**
**$24.95**
Add to Cart



**RODE PSA1+ Professional**
**$112.00**
Add to Cart



**Auray MS-5230F Tripod**
**$24.95**
Add to Cart



**Sony MDR-7506 Headphones**
**$113.00**
Add to Cart



**Auray BSM-35R Suspension**
**$39.95**
Add to Cart



**Kopul MuteMate-85 Momentary**
**$54.95**
Add to Cart



**Hosa Technology Pro REAN XLR**
**$16.95**
Add to Cart



**Cloud Microphones**
**$129.00**
Add to Cart

Kit Contains:



# RODE PodMic Dynamic Podcasting Microphone (Red, Special 50th Anniversary Edition)

## Key Specs

| | |
|---|---|
| **Microphone Type** | Broadcast/Podcast |
| **Polar Pattern** | Cardioid |
| **Element Type** | Dynamic |
| **Controls** | None |
| **Frequency Response** | 20 Hz to 20 kHz |
| **Analog Output** | 1x XLR 3-Pin Male |

## Items Included

- ✓ 2 x RODE PodMic Dynamic Podcasting Microphone (Red, Special 50th Anniversary Edition)
  - ✓ Limited 1-Year Manufacturer Warranty *Registration Extension: 1-Year (US Only)*
- ✓ 2 x RODE DS2 Desktop Studio Arm for Broadcast Microphones
  - ✓ 3/8 to 1/4" Adapter
  - ✓ 2 x M4 Screws
  - ✓ M3 Hex Key
  - ✓ Limited 1-Year Manufacturer Warranty
- ✓ 2 x Kopul Studio Elite 4000 Series Neutrik XLR M to XLR F Microphone Cable (10', Black)
  - ✓ Limited 3-Year Manufacturer Warranty
- ✓ 2 x RODE WS14 Pop Filter for

| | |
|---|---|
| **Power Sources** | No Power Required |

## Microphone

| | |
|---|---|
| **Microphone Type** | Broadcast/Podcast |
| **Polar Pattern** | Cardioid |
| **Element Type** | Dynamic |
| **Sound Field** | Mono |
| **Orientation** | End Address |
| **Controls** | None |
| **Pad** | No |
| **Circuitry** | Solid-State |

## Performance

| | |
|---|---|
| **Frequency Response** | 20 Hz to 20 kHz |

## Connectivity

| | |
|---|---|
| **Analog Output Connector** | 1x XLR 3-Pin Male |

## Power

| | |
|---|---|
| **Power Sources** | No Power Required |

## Physical

| | |
|---|---|
| **Color** | Red |
| **Mounting Thread Size** | 5/8"-27 Female |
| **Dimensions** | ø: 4.29 x L: 6.77" / 10.9 x L: 17.2 cm |
| **Weight** | 2.1 lb / 937 g |

## Packaging Info

| | |
|---|---|
| **Package Weight** | 2.72 lb |

✓ Limited 1-Year Manufacturer Warranty

**Free Items Included**

✓ RIVERSIDE Live - 3 Months FREE

## Additional Resources

**Guides & Manuals**

# RODE RODECaster Pro II Integrated Audio Production Studio (Black)

BH #RORCSTRPRO2 · MFR #RCP II | ★★★★½ 65 reviews | 41 Questions, 45 Answers | Share | Print

RØDE Authorized Dealer



Compare

Top Seller

In Stock | On Display in Store

**$579.00** +

**Save the Tax‡**
or Pay **$97/mo.** suggested payments for 6 Mos.§ when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $144.75 with PayPal. Learn more

2 Free Items Included ($261.00)

1 | Add to Cart

**Free Expedited Shipping**
Want it Tue 10/20? Order in the next 01:21:47 w/ Free 2-Day Shipping to Groton, CT
Express Store Pickup in 30 mins >

**Protect Your Gear**
Add a protection plan from $44.99
See Options >

Open Box for $479.00 >

**Color**
Black | White

**Recording Configuration**
1-Person | 2-Person | 4-Person

**Kit Configuration**
RODECaster Pro II Only | w/ PodMic & Stand | w/ PodMic, Boom Arm & Headphones

Feedback

## Key Features

- For Podcasters, Streamers, and Musicians
- 4 High-End Mic/Line/Instrument Preamps

Interviews

- 4 Headphone Outputs for Host and Guests
- 2 Built-In Wireless Mic Receivers
- 8 Programmable Pads for Audio, FX & MIDI
- Bluetooth for Calls & Wireless Playback

Show Less

Smartly designed for more than podcasting, the **Rode RODECaster Pro II (Black)** integrated audio production studio expands on the success of its predecessor with enhancements in sound, connectivity, and adaptability, pushing its feature set into attractive territory for live streamers, gamers,
More Details

w/ Limelight Mic, Boom Arm & Headphones



**Ask an Expert**
Video Chat | Chat | Request Callback | Email |
800-894-9703



**Get The B&H Payboo® Credit Card**
See Exclusive Benefits ›

## Recommended Accessories

View All

No Image Available

Digital

tracktion Waveform Pro 13
**$199.00**
Add to Cart



RODE RODECaster Pro II
**$143.09**
Save $15.90
Add to Cart




SANDISK 128GB Extreme UHS-I
**$42.99**
Add to Cart



RODE RODECover II Polycarbonate
**$59.00**
Add to Cart



Kopul Studio Elite 4000 Series
**$24.95**
Add to Cart



Pearstone PM-TRS 1/4" TRS Male
**$8.95**
Add to Cart



Sony MDR-7506 Headphones
**$113.00**
Add to Cart



RODE PodMic Dynamic
**$86.00**
Add to Cart

# RODE RODECaster Pro II Specs

## Key Specs

| | |
|---|---|
| **Form Factor** | Desktop |
| **Channels of I/O** | **Analog:**<br>4 Inputs / 4 Outputs |
| **Built-In DSP** | Yes |
| **Maximum Sampling Rate** | 48 kHz / 24-Bit |
| **Number of Microphone Inputs** | 4 |
| **Input Level Adjustment** | 6x Fader |
| **Number of Headphone Mixes** | 4x Assignable with Mix-Minus |

## Items Included

- ✓ RODE RODECaster Pro II Integrated Audio Production Studio (Black)
- ✓ USB-C Power Adapter
- ✓ AC Power Cable
- ✓ SC27 USB-C to USB-C Cable
- ✓ Limited 1-Year Manufacturer Warranty
  *Registration Extension: 1-Year*

**Free Items Included**

- ✓ Buzzsprout Audio Podcast

| | |
|---|---|
| **Analog Audio I/O** | 4x Combo XLR-1/4" TRS Mic/Line/Hi-Z Input<br>2x 1/4" TRS Line Output<br>4x 1/4" TRS Headphone Output |
| **Host Connection** | 2x USB-C |
| **Power Requirements** | AC/DC Power Adapter (Included) or USB Bus Power |

## General

| | |
|---|---|
| **Form Factor** | Desktop |
| **Display** | 5.5" Color Touchscreen |
| **Channels of I/O** | **Analog:**<br>4 Inputs / 4 Outputs |
| **Built-In DSP** | Yes |
| **Maximum Sampling Rate** | 48 kHz / 24-Bit |
| **Number of Microphone Inputs** | 4 |
| **Built-In Microphone** | No |
| **Input Level Adjustment** | 6x Fader |
| **Number of Headphone Mixes** | 4x Assignable with Mix-Minus |

## Signal Processing

| | |
|---|---|
| **Pad** | No |
| **Gain/Trim Range** | 0 to 76 dB |
| **Solo/Mute** | Solo-in-Place/AFL, Mute, PFL per Input Channel |

## Connectivity

| | |
|---|---|
| **Analog Audio I/O** | 4x Combo XLR-1/4" TRS Balanced/Unbalanced Mic/Line/Hi-Z Input<br>2x 1/4" TRS Balanced Line Output<br>4x 1/4" TRS Unbalanced Headphone Output |
| **Phantom Power** | 48 V, Selectable On/Off |
| **Digital Audio I/O** | No |
| **Host Connection / USB** | 2x USB-C |

✓ RIVERSIDE Live - 3 Months FREE

## Additional Resources

**Guides & Manuals**

**Firmware Updates**
v1.4.4, NOV '24

| | |
|---|---|
| **USB (Non-Host)** | No |
| **MIDI I/O** | No |
| **Expansion Slots** | No |
| **Wireless** | Wi-Fi / Bluetooth |

## Performance

| | |
|---|---|
| **Frequency Response** | **Mic Inputs:**<br>20 Hz to 20 kHz<br>**Monitor Outputs:**<br>20 Hz to 20 kHz |
| **Maximum Output Level** | **Line Outputs:**<br>+4 dBu |
| **Headphone Output Power** | 250 mW |
| **Impedance** | **Mic Inputs:**<br>4 Kilohms<br>**Hi-Z Inputs:**<br>1 Megohm |
| **EIN** | -131.5 dBV A-Weighted |

## Digital Audio

| | |
|---|---|
| **Sample Rates** | 48 kHz |
| **Sample Rate Conversion** | No |
| **Bit Depths** | 24-Bit |

## Audio Storage & Playback

| | |
|---|---|
| **Media/Memory Card Slot** | Single Slot: microSD/microSDHC/microSDXC |

## Compatibility

| | |
|---|---|
| **OS Compatibility** | Computer: macOS 10.15 or Later / Windows 10.18 or Later<br>Mobile: iPadOS Only |
| **Mobile Device Compatibility** | iPad |

–

| | |
|---|---|
| **Power Requirements** | AC/DC Power Adapter (Included) or USB Bus Power |
| **AC/DC Power Adapter** | 15 VDC at 2 A (Included) |

## Physical

| | |
|---|---|
| **Dimensions** | 12.2 x 10.7 x 3.3" / 30.9 x 27.3 x 8.3 cm |
| **Weight** | 4.4 lb / 2.0 kg |

## Packaging Info

| | |
|---|---|
| **Package Weight** | 7.02 lb |
| **Box Dimensions (LxWxH)** | 12.9 x 11.9 x 5.6" |

See any errors on this page? Let us know

**B&H News & Special Offers**

Email

Sign Up

Manage Existing Email Subscriptions

US Dollar

Live Chat

**Sales & Expert Advice**
800-894-9703

**Customer Service**
800-221-5743

Request Callback

Trade in Your Gear

Store Pick Up

B&H Gift Cards

Free Expedited Shipping

**Customer Service & Help**

Return Policy
Track/Request a Return
Manage Catalog Subscription
Payments
International
Site Directory
Shop By Brand
All Help Topics

**Company Information**

About B&H
Our NYC SuperStore
Hours of Operation
Payboo Credit Card
Affiliate Program
Manufacturers Directory
Career Opportunities

**Other B&H Sites**

Federal Marketplace
Student Advantage
B2B Corp. Govt. & Edu.
Event Space
Explora - News & Reviews
B&H Photography Podcast

Mobile Apps

© 2000- 2026 B&H Photo Video. 420 9th Ave, New York, NY 10001 Terms of use Privacy SMS Policy Export Policy Accessibility Statement

Video Chat with a Pro Audio Expert - Live | Chat Now



# Sennheiser BA 2015G2 Rechargeable Battery Pack

BH #SEBA2015G2 • MFR #BA2015 | ★★★★½ 3 reviews | 4 Questions, 8 Answers | Share | Print

SENNHEISER Authorized Dealer




In Stock | No Store Display

**$89.00** +

**Save the Tax‡** when you use the **Payboo** credit card. Learn More

Pay in 4 interest-free payments of $22.25 with PayPal. Learn more

1 | Add to Cart

Free 2-Day Shipping
Want it Tue 10/20? Order in the next 01:11:26 w/ Free 2-Day Shipping to Groton, CT
Express Store Pickup in 30 mins >

Protect Your Gear
Add a protection plan from $8.99 | See Optio

Ask an Expert
Video Chat | Chat | Request Callback | Email | 800-894-9703

Get The B&H Payboo® Credit Card
See Exclusive Benefits >

## Key Features

- For G2, G3 & G4 Series Wireless Systems

The **Sennheiser BA 2015G2** is a rechargeable battery pack for the Sennheiser G2, G3, and G4 series wireless systems (transmitter and receiver). The battery features two rechargeable NiMH cells and is inserted into the battery compartment instead of two standard AA cells. An More Details

## Recommended Accessories

View All



Sennheiser L2015G2 Charging
**$172.22**
Add to Cart



Sennheiser LA 2 Charging Adapter
**$39.95**
Add to Cart



Hama Fiberglass Contact Cleaner
**$37.50**
Add to Cart

# Sennheiser BA 2015G2 Specs

## General

| | |
|---|---|
| **For Use with** | G2, G3 & G4 Series Wireless Systems |

## Battery

| | |
|---|---|
| **Battery Chemistry** | Nickel-Metal Hydride (NiMH) |
| **Battery Capacity** | 1500 mAh |
| **Output Voltage** | 2.4 VDC |
| **Cells** | 2 |

## Packaging Info

| | |
|---|---|
| **Package Weight** | 0.135 lb |
| **Box Dimensions (LxWxH)** | 3.9 x 3.2 x 0.65" |

## Items Included

- ✓ Sennheiser BA 2015G2 Rechargeable Battery Pack
- ✓ Limited 1-Year Manufacturer Warranty

## Additional Resources

No additional resources available

## Customers Also Viewed



**Sennheiser L2015G2 Charging Station**

★★★★½ 9

**$172.22**

**Recently Viewed** Browsing History Clear All

Video Chat with a Pro Audio Expert - Live | Chat Now



# Sennheiser L2015G2 Charging Station

BH #SEL2015G2 • MFR #L2015 | ★★★★½ 9 reviews | 1 Question, 1 Answer | Share | Print

SENNHEISER Authorized Dealer






In Stock | No Store Display

**$172.22** + **Save the Tax‡** when you use the **Payboo** credit card. Learn More

Pay in 4 interest-free payments of $43.06 with PayPal. Learn more

1 | Add to Cart

Free 2-Day Shipping
Want it Tue 10/20? Order in the next 01:00:51 w/ Free 2-Day Shipping to Groton, CT
Express Store Pickup in 30 mins >

Protect Your Gear
Add a protection plan from $14.99 See Optio

Feedback

## Key Features

- For BA 2015G2 Evolution Series Batteries
- Temperature and Voltage Monitoring
- Charges up to two BA 2015 Batteries
- Power Supply Sold Separately

From **Sennheiser**, the **L2015G2 Charging Station** is a dual bay charging station for the Evolution wireless microphone series rechargeable batteries. The charger provides fast and easy drop-in style charging of up to two BA 2015 Evolution series batteries, and features temperature and
More Details

Configuration: Charging Station | w/ Power Supply

Ask an Expert
Video Chat | Chat | Request Callback | Email | 800-894-9703

Get The B&H Payboo® Credit Card
See Exclusive Benefits >

## Recommended Accessories

View All



Essential

Sennheiser NT 1-1 US Power Supply

**$75.50**

Add to Cart



Sennheiser BA 2015G2

**$89.00**

Add to Cart



Sennheiser LA 2 Charging Adapter

**$39.95**

Add to Cart



Hama Fiberglass Contact Cleaner

**$37.50**

Add to Cart



10 Pieces

Pearstone 0.5 x 6" Touch Fastener

**$6.99**

Add to Cart

# Sennheiser L2015G2 Specs

| | |
|---|---|
| **Input Voltage Range** | 10-20VDC |
| **Current Consumption** | 400-750mA |
| **Output Voltage** | 2x 2.9V |
| **Power Supply** | 2x 700 mA |
| **Battery Cells** | NiMH, 2x 1,2V (BA 2015) |
| **Charging Time** | 2.5 Hours |
| **Operating Temperature** | 32-104° F (0-40° C) |
| **Dimensions** | 5.70 x 3.14 x 4.33" (145 x 80 x 110mm) |
| **Weight** | 10.93 oz (310g) |

## Items Included

- ✓ Sennheiser L2015G2 Charging Station
- ✓ Operating Instructions
- ✓ Limited 1-Year Manufacturer Warranty

## Not Included

× Essential Power Supplies

## Additional Resources

No additional resources available

## Packaging Info

| | |
|---|---|
| **Package Weight** | 0.91 lb |
| **Box Dimensions (LxWxH)** | 6.1 x 4.95 x 3.7" |

## Customers Also Viewed

Video Chat with a Pro Audio Expert - Live | Chat Now



# Sennheiser NT 1-1 US Power Supply for ASA 1

BH #SENT11US • MFR #NT1-1-US | ★★★★☆ 1 review | Share | Print

SENNHEISER Authorized Dealer



In Stock | No Store Display

**$75.50** +

**Save the Tax‡**
when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $18.88 with PayPal. Learn more

1 | Add to Cart

Free 2-Day Shipping
Want it Tue 10/20? Order in the next 01:03:01 w/ Free 2-Day Shipping to Groton, CT

Express Store Pickup in 30 mins ›

Protect Your Gear
Add a protection plan from $8.99 | See Optio

Ask an Expert
Video Chat | Chat | Request Callback | Email | 800-894-9703

Get The B&H Payboo® Credit Card
See Exclusive Benefits ›

Feedback

## Recommended Accessories

View All



Hama Fiberglass Contact Cleaner
$37.50
Add to Cart



10 Pieces Pearstone 0.5 x 6" Touch Fastener
$6.99
Add to Cart

Ockers Technologies

FUTURE READY.

# We have prepared a quote for you

**Groton CT Public Library Conference Room Ceiling Mic**

Quote # 018026
Version 1

# Prepared for:

**Town of Groton**

Main

Richard Freeman
rfreeman@groton-ct.gov

48 Leona Drive
Middleboro, MA 02346
www.ockers.com
(508) 586-4642

Ockers Technologies
FUTURE READY.

## Hardware

| Description | | Price | Qty | Ext. Price |
|---|---|---|---|---|
| | **This quote is prepared under CT State AV Contract 19PSX0015** | | | |
| 700518 | **Sennheiser TeamConnect Ceiling Medium Ceiling Tile Microphone - White - Metal** | $4,099.00 | 1 | $4,099.00 |
| GS305P-300NAS | **Netgear GS305P Ethernet Switch - 5 Ports - Gigabit Ethernet - 10/100/1000Base-T - 2 Layer Supported - 66.78 W Power Consumption - 63 W PoE Budget - Twisted Pair - PoE Ports - Desktop, Wall Mountable - 3 Year Limited Warranty** | $108.00 | 1 | $108.00 |
| ADP-USB-AU-2X2 | **Dante RJ-45/USB Network Adapter - 1 x USB 2.0 Type A - Male - 1 x RJ-45 Network-Female** | $209.00 | 1 | $209.00 |
| | | | Subtotal: | **$4,416.00** |

## Installation

| Description | | Price | Qty | Ext. Price |
|---|---|---|---|---|
| LABOR-BROADCAST | **Ockers Broadcast Installation Labor**<br>Scope of Work: Mount Sennheiser Ceiling mic in ceiling in place of 2x2 drop ceiling tile as close to the center of the room as possible. Run 1 ethernet from mic over drop ceiling to wall mounted existing Touchview/PC module. Mount Network switch behind Touchview. Terminate ethernet for mic at both ends and plug into mic and network switch for power & ability to program. Connect to network switch and program mic, configure for use with Zoom. Connect Dante AVIO Device to PoE switch with ethernet cable and program. Connect Dante AVIO device to NUC via USB end of device, set Dante AVIO device/Ceiling Mic as microphone for Zoom. Test and train all. | $2,400.00 | 1 | $2,400.00 |
| MISC-MATERIALS | **Cables, Connectors and Parts**<br>All wiring, connectors and hardware needed to make cables and mount equipment. | $100.00 | 1 | $100.00 |
| | | | Subtotal: | **$2,500.00** |

48 Leona Drive
Middleboro, MA 02346
www.ockers.com
(508) 586-4642

Ockers Technologies
FUTURE READY.

# Groton CT Public Library Conference Room Ceiling Mic

## Prepared by:

**Ockers Technologies**

Danielle DeLucia
774-398-4140
Fax 508-584-9180
ddelucia@ockers.com

## Prepared for:

**Town of Groton**

Main
Finance Department
45 Fort Hill Road
Groton, CT 06340-4394
Richard Freeman
(860) 449-7173
rfreeman@groton-ct.gov

## Ship To:

**Town of Groton**

Groton Public Library
52 Newtown Road
Groton, CT 06340
Richard Freeman
(860) 449-7173
rfreeman@groton-ct.gov

## Quote Information:

**Quote #: 018026**

Version: 1
Delivery Date: 10/16/2026
Expiration Date: 11/14/2026

## Quote Summary

| Description | Amoun |
|---|---|
| Hardware | $4,416.0( |
| Installation | $2,500.0( |
| Subtotal: | $6,916.0( |
| Shipping: | $100.0( |
| Total: | $7,016.0( |

Terms and Conditions
This quote is valid for thirty (30) days from the date of issue. Any payments not made within thirty (30) days of the date of the invoice shall be subject to a late payment charge of 1 ½% per month (compounded) on the unpaid balance of any amount then passed due. All products quoted are subject to availability.
Terms for Purchases are NET30 Days from date of invoice. All Services will be invoiced separately and are payable on receipt of Invoice. Any payments not made within thirty (30) days of the date of the invoice shall be subject to a late payment charge of 1½% per month (compounded) on the unpaid balance of any amount then passed due.
Binding Effect of Document:
This document when signed by the client and accepted by the Company shall constitute a binding contract for services described.
Suspension or Cancellation for Non- Payment:
The Company may forthwith suspend or cancel SAAS service upon a written notice if any payment is overdue, in addition to any other right c remedy it may have.
Assignability of Agreement:
Neither this agreement nor the Company's SAAS service are transferable without the Company's written consent.
Returns are allowed for 30 days. Non-defective returns must be unopened, and factory sealed. All merchandise must be returned with original packing, accessories, and instructions. A valid RMA number must be obtained from Ockers Company before a return is allowed. Note - Some manufacturers have special returns policies which may supersede the above.
Custom Orders are not Returnable.
Returns over the 30 days will be subject to the acceptance by the distributor or manufacturer and may require a restocking fee.
Ockers at its discretion may invoice product prior to delivery to client via a Bill and Hold (Transfer of Property) document if required. All stored product will be fully insured. This may occur via a Standard invoice or via a Bill and Hold
Customer responsible for any permit fee costs that may be required. Fees are determined by local municipality and will be billed accordingly
** For EANS Purchases - Customer is responsible for payment of products and services if EANS order is not approved by the state.

# TeamConnect Ceiling Medium CTFP-W

Article no. 700515

Switch variant ▾



**Replacement Tile for the TeamConnect Ceiling Medium and TeamConnect Ceiling M Plus Ceiling Tile.**

The TCCM CTFP-W is the replacement ceiling tile for the TeamConnect Ceiling Medium and TeamConnect Ceiling M Plus Ceiling Tile.

## Features [16]

- Patented automatic dynamic beamforming
- TruVoicelift
- 15 SMD Electret condenser capsules made in Germany
- Perfect speech intelligibility
- Dante or Analog Output
- PoE/PoE+ powered (single/daisy chaining)
- Single-cable mode
- Exclusion & Priority Zones
- Camera Control via talker position data
- Encrypted Sennheiser Sound Control Protocol API (SSCv2) with TLS 1.2
- Options for flush, surface, suspended, VESA mounting and ceiling tile
- Easily paintable metal housing
- IEEE 802.1x
- Intelligent Noise Control
- Color: White
- Certified for Microsoft Teams

## Top specs

**Color**

## White

Connectors

## RJ45 Dante

Read more

## Tech specs

| | |
|---|---|
| **Logistics** | |
| Warranty (years) | 2 |
| **Product Features** | |
| Color HEX | #FFFFFF |
| **Product** | |
| Color | White |
| Warranty AMER (years) | 2 |
| **Connectivity** | |
| Connectors | RJ45 Dante |
| **Battery & Power** | |
| Battery included | N |
| **Dimensions** | |
| Product weight (g) | 1034 |
| Product height | 26 |

NETGEAR
BUSINESS

Data Sheet | 300 Series

# Gigabit Unmanaged Essentials PoE Switches





## Expanding Wired Connectivity for Small Business Networks needing PoE

NETGEAR Gigabit Unmanaged Essentials Switches with PoE provide easy, reliable, and affordable network connectivity for home and small offices. With these unmanaged plug-and-play switches, you can expand your network connections to multiple devices instantly. The unmanaged switches provides power and data from a single Ethernet (CAT-5e) cable to devices such as IP cameras, VoIP/ Internet-based phones, wireless access points, etc. The majority of these models also support PoE power auto-balance and allocation feature.

NETGEAR's unique PoE technology automatically balances the PoE power based on the device needs independent of PoE class detected. These switches deliver the power the device needs, at the most granular level.

## Outstanding power flexibility with NETGEAR's exclusive FlexPoE

The Gigabit Unmanaged Essentials PoE switches support NETGEAR's exclusive FlexPoE upgradeable PoE power feature. Powered by the industry's first flexible PoE+ integrated technology, you can increase or decrease the PoE budget by simply purchasing a new NETGEAR. FlexPoE power supply, effectively futureproofing small business networks and budgets. With NETGEAR's exclusive FlexPoE, these two switches help businesses cost effectively increase their power budget to expand their network as needed.

All ports support PoE/PoE+ up to 30W per port, which makes them the perfect switches for deploying Wireless APs, Pan/ Tilt/Zoom and fixed IP Cameras, VoIP Phones, access-limited security door locks or any other IoT PoE-powered devices.

The Gigabit Unmanaged Essentials PoE switches have copper Gigabit Ethernet PoE+ ports featuring NETGEAR FlexPoE power. The GS305P with 63W, GS305PP with 83W, GS308PP ships with 83W[5] of PoE budget, GS316P ships with 115W[5], and the GS316PP features an astounding 183W[5] of PoE power budget.

Should you need more power in the future, rather than replacing the entire switch, with NETGEAR FlexPoE, you can just purchase the optional NETGEAR FlexPoE EPS130W power adapter, which will boost the PoE budget of your GS308PP and with the EPS200W Power adapter, which will boost the PoE budget of your GS316P.

## Highlights

- Auto-MDI/MDIX eliminates the need for crossover cables
- LED indicators for ease of use
- Energy-efficient technology for power savings
- Fanless design for silent operation
- Auto-negotiation for automatic connection at the highest common speed between switch and an end device
- Non-blocking switching architecture for maximum throughput at wire speed
- Plug-and-play; no setup required
- Durable and rugged metal case
- Desktop, wall-mount or rack-mount (depends on specific model)
- Ideal for small office and home networks
- Standards-based technology ensures interoperability with any standards-based devices in the existing network
- 802.3af and 802.3at Power over Ethernet (PoE and /PoE+, depending on specific model) for IP cameras, VoIP/ Internet-based phones, wireless access points

### Small Office/Home Office Network Diagram

SMALL OFFICE/HOME OFFICE NETWORK DIAGRAM



# Expanding Wired Connectivity for Small Business Networks

Increase or decrease your PoE budget anytime by simply upgrading your switch power supply, without having to purchase a new switch. Future-proof your PoE budget with GS308PP or GS316P. And if you have power-hungry devices and directly need a high power PoE switch, buy G316PP. This unique combination from NETGEAR Business makes these switches the most adaptive in the market.

The following table describes the accessory power adapters which are sold separately:

| Switch Model | Power Adapter Model | Power Adapter Wattage | PoE+ Power Wattage |
|---|---|---|---|
| GS308PP (Comes w/90W PA) | EPS90W | 90W | 83W |
| | EPS130W | 130W | 123W |
| GS316P (Comes w/130W PA) | EPS90W | 90W | 76W |
| | EPS130W | 130W | 115W |
| | EPS200W | 200W | 183W |
| GS316PP (Comes w/200W PA) | EPS90W | 90W | 76W |
| | EPS130W | 130W | 115W |
| | EPS200W | 200W | 183W |

# Gigabit Unmanaged Essentials PoE Switches

| Features | GS305Pv3 | GS305PPv3 | GS308LP | GS308PP | GS316P | GS316PP | GS324P | GS324PP | GS348PP |
|---|---|---|---|---|---|---|---|---|---|
| 10/100/1000Mbps Ports (Auto Uplink) | 5 | 5 | 8 | 8 | 16 | 16 | 24 | 24 | 48 |
| Enclosure | Metal | Metal | Metal | Metal | Metal | Metal | Metal | Metal | Metal |
| Connector Type | Metal | Metal | Metal | Metal | Metal | Metal | Metal | Metal | Metal |
| Form Factor | Desktop or wall-mountable | | | | | | Rack mount/ Desktop | Rack mount/ Desktop | Rack mou Desktop |
| Power On/Off Switch | No | No | No | No | No | No | NA | NA | NA |
| **PoE Configuration** | | | | | | | | | |
| 802.3af PoE Ports | 4 | 4 | 8 | 8 | 16 | 16 | | | |
| 802.3at PoE+ Ports | 4 | 4 | 8 | 8 | 16 | 16 | 16 | 24 | 24 |
| PoE Max Power Per Port | Up to 30W | Up to 30W | Up to 30W | Up to 30W | Up to 30W | Up to 30W | 30W | 30W | 30W |
| Total PoE Power Budget** | up to 63W | 83W | Up to 60W | 83W (FlexPoE upgradeable to 123W using 130W power adapter) | 115W§ (FlexPoE upgradeable to 183W using 2000W power adapter) | 183W§ | 190W | 380W | 380W |
| PoE auto-balance | Yes | Yes | Yes | Yes | Yes | Yes | | | |
| **Power Consumption** | | | | | | | | | |
| DC Input/Power In | 54V, 1.25A | 54V, 1.66A | 54V ,1.25A | 54V/1.66A (FlexPoE 130W power adapter: 54V/2.4A) | 54V, 2.4A | 54V, 3.7A | Internal (100-240VAC, 50/60Hz, 3A max) | Internal (100-240VAC, 50/60Hz, 8A max) | Internal (AC: 110-2 50/60Hz, max) |
| Power Consumption (Max and Standby) | 66.78W/ 1.02W | 85.77W/ 1.01W | 67.5W/ 1.23W | 90W/ 3.86W | 127.9W/ 2.68W | 195.9 W/ 2.67W | 210W/ 10W | 400W/ 10W | 410W/ 10W |
| Heat Dissipation (Max and Standby) (BTU/Hr) | 228.38 BTU/ 3.24 BTU | 293.33 BTU/ 3.078 BTU | 230.85 BTU/ 3.69 BTU | 300.6 BTU/ 3.69 BTU | 437.42BTU/ 9.188TU | 669.9BTU/ 9.14BTU | 718.2BTU/ 34.2BTU | 1368BTU/ 34.2BTU | 1402.2BT 34.2BTU |
| **Performance Specification** | | | | | | | | | |
| Bandwidth (Non-Blocking) | 10 Gbps | 10 Gbps | 16 Gbps | 16 Gbps | 32 Gbps | 32 Gbps | 48 Gbps | 48 Gbps | 96Gbps |
| Packet Buffer Memory (Dynamically shared across only used ports) | 128 KB | 128 KB | 192 KB | 192 KB | 1MB | 1MB | 192 KB | 192 KB | 1.5MB |
| Jumbo Frame Support | 9,216 bytes | 9,216 bytes | 9,216 bytes | 9,216 bytes | 9,216 bytes | 9,216 bytes | 10000 bytes | 10000 bytes | 12288 by |
| Queue WRR (Weighted Round Robin) Ratio | 1:2:4:8 | 1:2:4:8 | 1:3:5:7:8:10:12:15 | 1:3:5:7:8:10:12:15 | 1:3:5:7:8:10:12:15 | 1:3:5:7:8:10:12:15 | 1:2:4:8 | 1:2:4:8 | 1:3:5:7:8:10: |
| Forwarding Rate (using 64-byte packets) 1000Mbps Port | 1,488,000 pps | 1,488,000 pps | 1,488,000 pps | 1,488,000 pps | 1,488,000 pps | 1,488,000 pps | 1,488,000 pps | 1,488,000 pps | 1,488,000 |
| Latency (using 64-byte packets) - 1000Mbps Port (average) | < 2.4 µsec | < 2.4 µsec | < 2.6 µsec | < 3.0 µsec | < 3.7 µsec | < 3.7 µsec | < 4 µsec | < 4 µsec | < 4 µse |
| MAC Address Table Size | 2K | 2K | 4K | 4K | 4K | 4K | 8K | 8K | 8K |
| Auto MDI/MDI-X Cable Detection | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Auto-sensing Half/Full Duplex Switched Ports | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Mean Time Between Failures (MTBF) @ 25° C | 4,113,947 hours | 4,113,947 hours | 2,752,476 hours | 2,752,476 hours | 2,362,192 hours | 2,362,192 hours | 1,193,574 hours | 667,762 hours | 570,97 hours |

| LEDs | GS305Pv3 | GS305PPv3 | GS308LP | GS308PP | GS316P | GS316PP | GS324P | GS324PP | GS348PP |
|---|---|---|---|---|---|---|---|---|---|
| Per port | Speed, Link/ Activity (Left), Ports 1-4: PoE (Right) | Speed, Link/ Activity (Left), Ports 1-4: PoE (Right) | Speed, Link/ Activity (Left), Ports 1-8: PoE (Right) | Speed, Link/ Activity (Left), Ports 1-8: PoE (Right) | Speed, Link/ Activity (Left), PoE (Right) | Speed, Link/ Activity (Left), PoE (Right) | Speed, Link/ Activity, PoE | Speed, Link/ Activity, PoE | Speed, Li Activity, P |
| Per device | Power, PoE Max | Power, PoE Max | Power, PoE Max | Power, PoE Max | Power, PoE Max | Power, PoE Max | Power, PoE Max, Fan | Power, PoE Max, Fan | Power, P Max, Fa |
| **Quality of Service (QoS)** | | | | | | | | | |
| 802.1P Based (CoS) Supported | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Honors DSCP (DiffServ) Tags | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| **Energy Efficiency** | | | | | | | | | |
| Energy Efficient Ethernet (EEE) IEEE 802.3az compliant | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Auto Power Down | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Short Cable Detection | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Fan/Fanless | Fanless | Fanless | Fanless | Fanless | Fanless | Fanless | 1 Fan | 2 Fans | 2 Fans |
| **Physical Specifications** | | | | | | | | | |
| Dimensions (W x D x H) | 158x101 x27mm (6.2 x 4.0 x 1.1 in) | 158x101 x27mm (6.2 x 4.0 x 1.1 in) | 236 x102 x 27 mm (9.3 x 4 x 1.1 in) | 236 x102 x 27 mm (9.3 x 4 x 1.1 in) | 286 x 102 x 27 mm (11.3 x 4 x 1.1 in) | 286 x 102 x 27 mm (11.3 x 4 x 1.1 in) | 330 x 206 x 43 mm (13 x 8.1 x 1.7 in.) | 440 x 204 x 43 mm (17.3 x 8 x 1.7 in) | 440 x 31 x 43 mm (17.3 x 1 x 1.7 in. |
| Weight | 0.40 kg (0.88 lb) | 0.40 kg (0.88 lb) | 0.6 kg (1.32 lb) | 0.6 kg (1.32 lb) | 0.88 kg (1.94 lb) | 0.88 kg (1.94 lb) | 2.44 kg (5.38 lb) | 3.30 kg (7.3 lb) | 4.56 kg (10.05 lb |
| **Environmental Specifications** | | | | | | | | | |
| Operating Temperature | 0° to 40°C (32° to 104°F) | | | | | | 0° to 45°C (32° to 113°F) | 0° to 45°C (32° to 113°F) | 0° to 45° (32° to 11. |
| Humidity | 90% maximum relative humidity (RH), non-condensing | | | | | | 10%-90% relative humidity, noncondensing | | |
| Altitude | 10,000 ft (3,000 m) maximum | | | | | | 3000 M | 3000 M | 3000 M |
| Storage Temperature | -20° to 70°C (-4° to 158°F) | | | | | | | | |
| Humidity (relative) | 95% maximum relative humidity (RH), non-condensing | | | | | | 10%~95%, non-condensing | | |
| **Electromagnetic Emissions and Immunity** | | | | | | | | | |
| Certifications | CE Mark, FCC Part 15 Class B, IC Class B, RCM, VCCI, KC | CE Mark, FCC Part 15 Class B, IC Class B, RCM, VCCI, KC | CE Mark, FCC Part 15 Class A, IC Class A, RCM, VCCI, KC | CE Mark, FCC Part 15 Class A, IC Class A, RCM, VCCI, KC | CE Mark, FCC Part 15 Class A, IC Class A, RCM, VCCI, BSMI, KC | CE Mark, FCC Part 15 Class A, IC Class A, RCM, VCCI, BSMI, KC | CE Mark, FCC Part 15 Class A, IC Class A, RCM, VCCI, KC | CE Mark, FCC Part 15 Class A, IC Class A, RCM, VCCI, KC | CE Mark, FCC Part 1 Class A, IC Class A, RCM, VCCI, KC |
| Safety Certifications | CB, CE LVD | CB, CE LVD | CB, CE LVD | CB, CE LVD | CB, CE LVD | CB, CE LVD | CB, CE LVD, UL | CB, CE LVD, UL | CB, CE LVD, UL |
| **IEEE Network Protocols** | | | | | | | | | |

- IEEE 802.3ab 1000BASE-T Gigabit Ethernet
- IEEE 802.3u 100BASE-TX Fast Ethernet
- IEEE 802.3i 10BASE-T Ethernet
- IEEE 802.3x Flow Control
- IEEE 802.1p Priority QoS (GS305Pv3, GS305PPv3, GS308PP, GS316P, GS316PP)
- IEEE 802.3 CSMA/CD
- 802.3az Energy Efficient Ethernet

| Warranty and Support * | GS305Pv3 | GS305PPv3 | GS308LP | GS308PP | GS316P | GS316PP | GS324P | GS324PP | GS348PP |
|---|---|---|---|---|---|---|---|---|---|
| All Except China | 3-year Warranty | | | | | | | | |
| China | 1-year Warranty | | | | | | | | |
| Power Adapter Warranty | 2-years | | | | | | | | |
| Technical Support (online, phone) | 90 days free from date of purchase | | | | | | | | |
| ProSUPPORT Category | Category S1 | Category S1 | Category S1 | Category S1 | Category S2 | Category S2 | Category 2 | Category 2 | Category 2 |
| ProSUPPORT OnCall 24x7 Service Plan | PMB0S11-10000S (1 yr)<br>PMB0S31-10000S (3 yrs)<br>PMB0S51-10000S (5 yrs) | PMB0S11-10000S (1 yr)<br>PMB0S31-10000S (3 yrs)<br>PMB0S51-10000S (5 yrs) | PMB0S12-10000S (1 yr)<br>PMB0S32-10000S (3 yrs)<br>PMB0S52-10000S (5 yrs) | PMB0S12-10000S (1 yr)<br>PMB0S32-10000S (3 yrs)<br>PMB0S52-10000S (5 yrs) | PMB0S12-10000S (1 yr)<br>PMB0S32-10000S (3 yrs)<br>PMB0S52-10000S (5 yrs) | PMB0S12-10000S (1 yr)<br>PMB0S32-10000S (3 yrs)<br>PMB0S52-10000S (5 yrs) | PMB0312-10000S (1 yr)<br>PMB0332-10000S (3 yrs)<br>PMB0352-10000S (5 yrs) | PMB0312-10000S (1 yr)<br>PMB0332-10000S (3 yrs)<br>PMB0352-10000S (5 yrs) | PMB0312-10000S (1 y<br>PMB0332-10000S (3 y<br>PMB0352-10000S (5 y |
| **Package Contents** | | | | | | | | | |
| | Gigabit Unmanaged Essentials PoE switch | Gigabit Unmanaged Essentials PoE switch | Gigabit Unmanaged Essentials PoE switch | Gigabit Unmanaged Essentials PoE switch | Unmanaged PoE Gigabit Ethernet switch | Unmanaged PoE++ Gigabit Ethernet switch | Unmanaged PoE Gigabit Ethernet switch | Unmanaged PoE++ Gigabit Ethernet switch | Unmanaged PoE++ Gig Ethernet switch |
| | Power adapter localized to the country of sale | Power adapter localized to the country of sale | Power adapter localized to the country of sale | Power adapter localized to the country of sale | Power adapter localized to the country of sale | Power adapter localized to the country of sale | Power cord localized to the country of sale | Power cord localized to the country of sale | Power cord localized to country of |
| | Wall mount kit | Wall mount kit | Wall mount kit | Wall mount kit | Wall mount kit | Wall mount kit | Rack mount kit | Rack mount kit | Rack moun |
| | Rubber footpads for desktop installation | Rubber footpads for desktop installation | Rubber footpads for desktop installation | Rubber footpads for desktop installation | Rubber footpads for desktop installation | Rubber footpads for desktop installation | Rubber footpads for desktop installation | Rubber footpads for desktop installation | Rubber footpads fo desktop installation |
| | Installation guide | Installation guide | Installation guide | Installation guide | Installation guide | Installation guide | Installation guide | Installation guide | Installation guide |

| Ordering Information | |
|---|---|
| GS305P | |
| GS305P-300AUS | Australia |
| GS305P-300EUS | Europe, including United Kingdom |
| GS305P-300INS | India |
| GS305P-300JPS | Japan |
| GS305P-300KOS | Korea |
| GS305P-300NAS | North America |
| GS305P-300PES | Middle East |
| GS305P-300PRS | China |
| GS305P-300TWS | Taiwan |
| GS305P-300UKS | Hong Kong |
| GS305PP | |
| GS305PP-300AUS | Australia |
| GS305PP-300EUS | Europe, including United Kingdom |
| GS305PP-300INS | India |
| GS305PP-300JPS | Japan |
| GS305PP-300KOS | Korea |
| GS305PP-300NAS | North America |
| GS305PP-300PES | Middle East |
| GS305PP-300PRS | China |
| GS305PP-300TWS | Taiwan |
| GS305PP-300UKS | Hong Kong |

| | |
|---|---|
| GS308LP | |
| GS308LP-100NAS | North America and Latin America |
| GS308LP-100EUS | Europe and United Kingdom |
| GS308PP | |
| GS308PP-100AJS | Japan and Australia |
| GS308PP-100EUS | Europe, including United Kingdom |
| GS308PP-100NAS | North America |
| GS316P | |
| GS316P-100AJS | Australia and Japan |
| GS316P-100EUS | Europe and United Kingdom |
| GS316P-100NAS | North America |
| GS316PP | |
| GS316PP-100AJS | Australia and Japan |
| GS316PP-100EUS | Europe and United Kingdom |
| GS316PP-100NAS | North America |
| GS324P | |
| GS324P-100AJS | Australia and Japan |
| GS324P-100EUS | Europe and United Kingdom |
| GS324P-100NAS | North America and Asia Pacific |
| GS324PP | |
| GS324PP-100AJS | Australia and Japan |
| GS324PP-100EUS | Europe and United Kingdom |
| GS324PP-100NAS | North America and Asia Pacific |
| GS348PP | |
| GS348PP-100AJS | Australia and Japan |
| GS348PP-100EUS | Europe and United Kingdom |
| GS348PP-100NAS | North America and Asia Pacific |

| Optional Modules and Accessories | |
|---|---|
| EPS90W | 90W External Power Adapter |
| EPS130W | 130W External Power Adapter |
| EPS200W | 200W External Power Adapter |

| Technical Specifications for Accessory Power Adapters | |
|---|---|
| Power Adapter Warranty | 2-years |
| Technical Support | 90 days of free technical spoort |
| ProSUPPORT Contract Option | No |
| Auto-applied contracts | No |

§ NETGEAR FlexPoE power - interchangable external power adapter allows for increasing or decreasing your PoE budget at any time with optional NETGEAR FlexPoE power adapters.

Actual SKU availability may vary per region. Please check the local website for product availability.

*This product comes with a limited warranty that is valid only if purchased from a NETGEAR authorized reseller, and modifications to product may void the warranty; see http://www.netgear.com/about/warranty/ for details. 24/7 basic technical support provided for 90 days from purchase date when purchased from a NETGEAR authorized reseller.

**Maximum PoE power supplied is 15.4W per port, but not to exceed 53W total power supplied across all PoE connected devices.

NETGEAR and the NETGEAR Logo are trademarks and/or registered trademarks of NETGEAR, Inc. and/or its subsidiaries in the United States and/or other coutries. Other brand names mentioned herein are for identification purposes only and may be trademarks of their respective holder(s). ©NETGEAR, Inc. All Rights reserved.

NETGEAR, Inc. 350 E. Plumeria Drive, San Jose, CA 95134-1911 USA, 1-888-NETGEAR (638-4327), E-mail: info@NETGEAR.com, www.NETGEAR.com

# Audinate ADP-USB-AU-2X2 Dante AVIO USB IO Adapter with RJ45 and USB type A

ITEM #: ADN-ADPUSB-AU2X2 | MFG #: ADP-USB-AU-2X2




Overview | Recommended Accessories | Reviews | Attachments

## ADP-USB-AU-2X2 - Overview

The Audinate **ADP-USB-AU-2X2** is a Dante AVIO USB Adapter with RJ45 and USB Type A. Powered by USB or PoE the adapter lets you connect any computer to a Dante audio network with zero software installation, and can be used with any audio application for playout or recording. Ideal for conference rooms and presentation events. The Dante AVIO USB Adapter supports 2x2 channels and is perfect for BYOD (Bring Your Own Device) applications in installed audio systems such as conference rooms. Dante AVIO USB is a class-compliant USB 2.0 audio device, so no drivers or additional software is required on Windows, macOS or Linux.

**Features:**

- Easy audio drop-point for laptops in conference settings, no need to reconfigure your Dante network for different computers
- Record or playout 2-channel audio from any PC or Mac with no additional software at all
- Connect mobile devices to a Dante network (with USB adapters)
- Plug & play operation
- Built for the road
- Sample rates up to 96 kHz (48 kHz for USB)
- Excellent dynamic range, SNR and THD performance
- Asynchronous Sample Rate Conversion (AES3 model only)
- Dante Audio over IP and AES67 RTP transport formats
- Power over Ethernet (PoE) support
- Dante Domain Manager ready

**Specifications:**

- **Channels:** 2 in 2 out
- **Connectors:** RJ45 & USB Type A
- **Power:** Class 1 802.3af PoE or USB
- **Sample Rates:** 48 kHz
- **Bit Depth:** 24
- **Network Transport:** Dante Audio over IP AES67 RTP
- **USB:** Class Compliant

**GTIN:**9353345000053

To deliver the best personalized experience, our site uses cookies. By continuing, you consent to our use of cookies in accordance with our cookie policy. Learn more: Privacy Policy

GOT IT!

Video Chat with a Pro Audio Expert - Live | Chat Now



# Toa Electronics WS-5225-AM Wireless Handheld Cardioid Condenser Microphone System (M1: 506 to 538 MHz)

TOA Authorized Dealer

BH #TOWS5225MRM1 • MFR #WS-5225-AM RM1 | Share | Print



Compare

Special Order | Expected availability: 2-4 Weeks

No Store Display

**$379.00** +

**Save the Tax‡**
or Pay **$64/mo.** suggested payments for 6 Mos.[5] when you use the **Payboo** credit card.
Learn More

This item cannot be canceled or returned.

1 | Add to Cart

Free Standard Shipping

Protect Your Gear
Add a protection plan from $58.99
See Options >

Feedback

## Key Features

- Performance, Presentation, Instruction
- Cardioid Condenser Microphone
- Handheld Transmitter
- Desktop Receiver with Space Diversity

Show More

The **WS-5225-AM** from **TOA** is a professional UHF wireless handheld microphone system designed for reliable speech and general-purpose sound reinforcement applications. The system combines the WM-5225-AM handheld wireless microphone transmitter with the WT-5810-AM diversity

More Details

Transmitter Type

Handheld Cardioid Dynamic Mic

**Ask an Expert**
Video Chat | Chat | Request Callback | Email | 800-894-9703

**Get The B&H Payboo® Credit Card**
See Exclusive Benefits >

Recommended Accessories



Essential

Kopul Studio Elite 4000 Series
$24.95

Add to Cart



Watson AX AA 1.5V Alkaline
$11.50

Add to Cart



Shure Foam Windscreen for
$8.00

Add to Cart



Auray MS-5230F Tripod
$24.95

Add to Cart



Gator GM-1W Wireless System
$89.99

Add to Cart

In the Box

Toa Electronics WM-5225-AM
$218.00

Add to Cart



Kopul Premium Performance
$8.95

Add to Cart



Auray TT-6220 Telescoping
$31.90

Add to Cart

# Toa Electronics WS-5225-AM RM1 Specs

## Key Specs

| | |
|---|---|
| **Wireless Technology** | Analog UHF |
| **Diversity** | Yes |
| **Max Operating Range** | 393.7' / 120 m |
| **Receiver Type** | 1x Tabletop |
| **Number of Audio Channels** | 1 |
| **Included Transmitters** | 1x Handheld |
| **Microphone Type** | 1x Handheld |
| **Included Charging Case** | No |

## System

| | |
|---|---|
| **Wireless Technology** | Analog UHF |
| **Diversity** | Yes |
| **RF Frequency Band** | 506 to 538 MHz |
| **Number of RF Channel Frequencies** | 16 |
| **Max Operating Range** | 393.7' / 120 m |

## Items Included

- ✓ Toa Electronics WS-5225-AM Wireless Handheld Cardioid Condenser Microphone System (M1: 506 to 538 MHz)
- ✓ Toa Electronics WT-5810-AM Desktop Wireless Receiver (M1: 506 to 538 MHz)
- ✓ Toa Electronics WM-5225-AM Handheld Wireless Cardioid Condenser Microphone Transmitter (M1: 506 to 538 MHz)
- ✓ Limited 5-Year Manufacturer Warranty

## Not Included

× Essential XLR Cables

## Additional Resources

User Manual
3.7 MB

| | |
|---|---|
| **Encryption** | No |
| **Built-In Recorder** | No |
| **Timecode Support** | No |
| **Mobile App Compatible** | No |

## Receiver

| | |
|---|---|
| **Receiver Type** | 1x Tabletop |
| **Mounting Options** | No |
| **Antenna** | 2x Fixed |
| **Number of Audio Channels** | 1 |
| **Audio I/O** | 1x XLR 3-Pin Balanced Mic Output<br>1x 1/4" TS Unbalanced Line Output<br>1x 1/4" TS Unbalanced Line Input |
| **Network I/O** | No |
| **USB/Lightning Connectivity** | No |
| **Frequency Response** | 100 Hz to 15 kHz |
| **Display** | Alphanumeric LED |
| **Power Requirements** | AC/DC Power Adapter |

## Transmitters

| | |
|---|---|
| **Included Transmitters** | 1x Handheld |
| **RF Output Power** | < 50 mW |
| **Antenna** | Fixed |
| **Input Level** | Microphone |
| **Audio I/O** | No |
| **USB I/O** | No |
| **Muting** | Off/On Switch |
| **Frequency Response** | 100 Hz to 15 kHz |
| **Sync Method** | Manual |

## Microphones

| | |
|---|---|
| **Microphone Type** | 1x Handheld |
| **Polar Pattern** | Unidirectional |
| **Frequency Response** | 100 Hz to 15 kHz |
| **Maximum SPL** | 126 dB |
| **Color** | Black |

## Power

| | |
|---|---|
| **Transmitter Battery Type** | 1x AA |
| **Transmitter Battery Life** | 13 Hours (NiMH Rechargeable) |
| **Included Charging Case** | No |

## Charging Case

| | |
|---|---|
| **Input Power** | 12 VDC |

## Physical

| | |
|---|---|
| **Environmental Resistance** | No |
| **Dimensions** | **Receiver:**<br>8.1 x 6 x 1.6" / 206 x 152.7 x 40.6 mm<br>**Transmitter:**<br>9.1 x 1.7" / 231.5 x 43.6 mm |
| **Weight** | **Receiver:**<br>1.3 lb / 590 g<br>**Transmitter:**<br>6.3 oz / 180 g (with Battery) |

See any errors on this page? Let us know

B&H News & Special Offers

Email

Sign Up

Manage Existing Email Subscriptions

US Dollar

Live Chat

Sales & Expert Advice

# Kendall Howard Vented Component Shelf (1U 12" Deep)

BH #KE1U12VCS · MFR #1906-1-201-01 Share Print

Kendall Howard
Authorized Dealer



+ 1

Special Order | Expected availability: 6-10 Weeks

No Store Display

**$52.95** +

**Save the Tax‡**
when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $13.24 with PayPal. Learn more

1 Add to Cart

Free Standard Shipping

Configuration

1 RU Tall, 12" Deep Vented Shelf

Feedback

**Ask an Expert**
Video Chat | Chat | Request Callback | Email |
800-894-9703

**Get The B&H Payboo® Credit Card**
See Exclusive Benefits ›

## Key Features

- 70 lb Load Capacity
- Compatible with Standard 19" EIA Rack

The 1U tall, 12" deep **Kendall Howard Vented Component Shelf** takes on a lot of weight for its size. Rated to hold up to 70 lb, this tough little shelf is perfect for supporting non-rack mountable equipment such as routers, hubs, monitors, and UPS's. The Vented design helps improve airflow to
More Details

## Recommended Accessories View All

# Kendall Howard 1906-1-201-01 Specs

## General

| | |
|---|---|
| **Compatibility** | Not Specified by Manufacturer |

## Physical

| | |
|---|---|
| **Load Capacity** | 70 lb / 31.8 kg |
| **Color** | Black |
| **Material of Construction** | Cold Rolled Steel |
| **Dimensions** | 19 x 12 x 1.72" / 48.3 x 30.5 x 4.37 cm |
| **Weight** | 6 lb / 2.7 kg |

## Packaging Info

| | |
|---|---|
| **Package Weight** | 5.53 lb |
| **Box Dimensions (LxWxH)** | 21.9 x 15.6 x 3.3" |

## Items Included

- ✓ Kendall Howard Vented Component Shelf (1U 12" Deep)
- ✓ Limited Lifetime Warranty

## Additional Resources

**Installation Guide**
0.2 MB

Recently Viewed

Browsing History Clear All


Kendall Howard Vented Component..


Kendall Howard Vented Rack-...


Middle Atlantic U1V Universal Vented...


Auray RS-V-1U One-Space Vented Rack...


Middle Atlantic Slim 5 Series Removable...

Windows | RTX SPARK | RTX Spark Laptops: Transform the way you work, create, develop & game | Preorder



# Kendall Howard Heavy-Duty Rack Mountable Sliding Shelf (Vented, 24" Deep)

Kendall Howard
Authorized Dealer

BH #KEHDRMTSSV24 • MFR #1922-3-700-01 | Share | Print



+ 1

ⓘ Special Order | Expected availability: 2-4 Weeks

No Store Display

**$314.00** +

**Save the Tax‡**
or Pay **$53/mo.** suggested payments for 6 Mos.§ when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $78.50 with PayPal. Learn more

1 | Add to Cart

Free Standard Shipping

**Ask an Expert**
Chat | Request Callback | Email | 866-839-7214

**Get The B&H Payboo® Credit Card**
See Exclusive Benefits ›

Feedback

## Recommended Accessories

View All



Furman Pro Plug 6-Outlet Power
**$36.40**
Add to Cart



Platinum Tools 8-in-1 Ratcheted
**$14.57**
Add to Cart

Video Chat with a Pro Audio Expert - Live | Chat Now



# Middle Atlantic Caster Kit for Slim 5 Series (Locking Casters)

BH #MI5WL · MFR #5WL | ★★★★★ 1 review | Share | Print

Middle Atlantic Products Authorized Dealer



In Stock: Not in NYC SuperStore | No Store Display

**$120.60** + **Save the Tax‡** when you use the **Payboo** credit card. Learn More

1 | Add to Cart for Price

Free 2-Day Shipping
Want it Wed 10/21? Order now w/ Free 2-Day Shipping to Groton, CT
Scheduled Store Pickup >

Protect Your Gear
Add a protection plan from $11.99 | See Options >

Caster/Wheel Type

Locking Casters | Fine Floor Locking Casters

## Key Features

- For ERK and Slim 5 Series Rack Systems
- Adds 3.875" to Overall Height
- Commercial-Grade Casters
- 1300 lb Weight Capacity

The **Middle-Atlantic 5WL Caster Set** features four commercial grade casters for the Middle-Atlantic Slim 5 Series Rack. These heavy-duty casters bolt directly to the bottom of Slim 5 racks or can be concealed in a skirted base.

More Details

Ask an Expert
Video Chat | Chat | Request Callback | Email | 800-894-9703

Get The B&H Payboo® Credit Card
See Exclusive Benefits >

Feedback

## Recommended Accessories

View All



Vello WidgetWiz Multi-Tool
**$19.75**

Add to Cart

# Middle Atlantic 5WL Overview

*The **Middle-Atlantic 5WL Caster Set** features four commercial grade casters for the Middle-Atlantic Slim 5 Series Rack. These heavy-duty casters bolt directly to the bottom of Slim 5 racks or can be concealed in a skirted base.*

## Non-Locking Caster

This caster set includes two locking and two non-locking casters for stability or quick and easy movement.

## Commercial Grade

The heavy-duty, commercial grade quality ensures durability and strength.

UPC: 656747001376

## Items Included

- ✓ Middle Atlantic Caster Kit for Slim 5 Series (Locking Casters)
- ✓ 4 x Casters
- ✓ Limited 3-Year Manufacturer Warranty

## Additional Resources

No additional resources available

## Recently Viewed

Browsing History Clear All


Middle Atlantic Caster Kit for Slim 5..


Middle Atlantic Slim 5 Series Rack Frame...


Middle Atlantic CBS5R Caster Set


Middle Atlantic Slim 5 Series Removable...


Kendall Howard Vented Component..

See any errors on this page? Let us know

B&H News & Special Offers

Email Sign Up

Manage Existing Email Subscriptions

US Dollar

Live Chat

Sales & Expert Advice
800.804.0703

# Blackmagic Design Micro Converter SDI to HDMI 3G (with Power Supply)

BH #BLCMCSH3WPSU • MFR #CONVCMIC/SH03G/WPSU

★★★★★ 133 reviews | 25 Questions, 55 Answers | Share | Print

Blackmagic design Authorized Dealer




Compare

## Key Features

- 1x SD/HD/3G-SDI Input & 1 x Loop Output
- DCI 2K SDI In/Out | 1080p60 HDMI Out
- 1 x HDMI Type A Output
- AC Power Supply & Socket Adapters

Show More

Super compact and rugged, the **Micro Converter SDI to HDMI 3G** from **Blackmagic Design** enables you to use HDMI-input monitors and televisions for production monitoring. This compact converter has one SD/HD/3G-SDI input, one HDMI output, and one SD/HD/3G-SDI loop

More Details

Top Seller

In Stock No Store Display

**$85.00** +

**Save the Tax‡**
when you use the **Payboo** credit card.
Learn More

Pay in 4 interest-free payments of $21.25 with PayPal. Learn more

1 Add to Cart

**Free 2-Day Shipping** ›
Want it Wed 10/21? Order now w/ Free 2-Day Shipping to Groton, CT
Express Store Pickup ›

**Protect Your Gear**
Add a protection plan from $8.99 See Optio

**Similar item at a lower price**
Elvid SDI to HDMI Micro Video Converter 3G $59.95 See Details ›

Used for $74.50 ›

Version

No Power Supply | Included Power Supply

Converter Type

HDMI to 3G-SDI | 3G-SDI to HDMI | Bidirectional 3G-SDI/HDMI

**Ask an Expert**
Video Chat | Chat | Request Callback | Email |
800-894-9703

**Get The B&H Payboo® Credit Card**
See Exclusive Benefits ›

Feedback

$9.99 Add to Cart

$5.99 Add to Cart

$15.95 Add to Cart

$8.60 Add to Cart


CAMVATE Adjustable SSD
$29.20
Add to Cart



Pearstone 1 x 10" Touch Fastener
$9.99
Add to Cart


Blackmagic Design Power
$39.00
Add to Cart


Furman Pro Plug 6-Outlet Power
$36.40
Add to Cart

# Blackmagic Design Micro Converter WPSU Specs

## Key Specs

| | |
|---|---|
| **Video I/O** | Show More |
| **Video Resolution** | Show More |
| **Broadcast System Compatibility** | NTSC, PAL |
| **Wireless** | No |
| **OS Compatibility** | macOS 10.14.15 or Later<br>Windows 10 |

## Inputs/Outputs

| | |
|---|---|
| **Video I/O** | **Input**<br>1x BNC (3G-SDI)<br>**Output**<br>1x BNC (3G-SDI) (Loop Output)<br>1x HDMI 2.0 |

## Items Included

- ✓ Blackmagic Design Micro Converter SDI to HDMI 3G (with Power Supply)
- ✓ 100-240 VAC Power Supply
- ✓ 4 x Socket Adapter
- ✓ Limited 3-Year Warranty

## Additional Resources

**User Manual**
8.7 MB

 **Blackmagic Design Micro Converter SDI to HDMI 3G (with Power Supply)** **$85.00**

Overview | Specs | Reviews 133 | Q&A 25 | Accessories

## Format Support

| | |
|---|---|
| **Video Resolution** | **BNC Input (8/10-Bit 4:2:2 RGB, YUV)**<br>2048 x 1080 at<br>23.98/24/25/29.97/30/47.95/48/50/59.94/60 fps<br>2048 x 1080PsF at 25/29.97/30 fps<br>1920 x 1080p at<br>23.98/24/25/29.97/30/47.95/48/50/59.94/60 fps<br>1920 x 1080PsF at 25/29.97/30 fps<br>1920 x 1080i at 50/59.94/60 fps<br>1280 x 720 at 50/59.94/60 fps<br>768 x 576i at 50 fps<br>720 x 480i at 59.94 fps<br>**SDI Output**<br>2048 x 1080 at<br>23.98/24/25/29.97/30/47.95/48/50/59.94/60 fps<br>2048 x 1080PsF at 25/29.97/30 fps<br>1920 x 1080p at<br>23.98/24/25/29.97/30/47.95/48/50/59.94/60 fps<br>1920 x 1080PsF at 25/29.97/30 fps<br>1920 x 1080i at 50/59.94/60 fps<br>1280 x 720 at 50/59.94/60 fps<br>768 x 576i at 25 fps<br>720 x 480i at 29.97 fps<br>**HDMI Output (4:2:2 YUV)**<br>1920 x 1080p at<br>23.98/24/25/29.97/30/47.95/48/50/59.94/60 fps<br>1920 x 1080i at 50/59.94/60 fps<br>1280 x 720 at 50/59.94/60 fps<br>768 x 576i at 25 fps<br>720 x 480i at 29.97 fps |
| **Embedded Audio** | HDMI/SDI |
| **Reclocking** | No |

## Standards

| | |
|---|---|
| **Video Standard Compliance** | SMPTE: 259M/292M/296M/424M/425M-A/425M-B |
| **HDCP Support** | Yes: Version 2.2 |
| **Broadcast System Compatibility** | NTSC, PAL |

## Hardware

| | |
|---|---|
| **Wireless** | No |

## Power

| | |
|---|---|
| **Power I/O** | 1x USB-C (4.4 to 5.2 VDC ) Input |
| **Power Consumption** | 2.5 W |

## General

| | |
|---|---|
| **Operating Conditions** | 32 to 104°F / 0 to 40°C at 0 to 90% Humidity |
| **Storage Conditions** | -4 to 140°F / -20 to 60°C |
| **Dimensions** | 3.01 x 1.8 x 0.98" / 76.45 x 45.7 x 24.89 mm |
| **Weight** | 5.29 oz / 149.97 g |

## Packaging Info

| | |
|---|---|
| **Package Weight** | 0.84 lb |
| **Box Dimensions (LxWxH)** | 6.1 x 4.1 x 2.8" |

See any errors on this page? Let us know

B&H News & Special Offers

Email Sign Up

Manage Existing Email Subscriptions

Customer Service & Help
Return Policy
Track/Request a Return
Manage Catalog Subscription
Payments
International
Site Directory
Shop By Brand
All Help Topics

Company Information
About B&H
Our NYC SuperStore
Hours of Operation
Payboo Credit Card
Affiliate Program
Manufacturers Directory
Career Opportunities

Other B&H Sites
Federal Marketplace
Student Advantage
B2B Corp. Govt. & Edu.
Event Space
Explora - News & Reviews
B&H Photography Podcast

US Dollar

Live Chat

Sales & Expert Advice
800-894-9703

Customer Service
800-221-5743

Request Callback

Trade in Your Gear

Store Pick Up
B&H Gift Cards
Free Expedited Shipping

# NETGEAR M4350-44M4X4V 48-Port Multi-Gig PoE++ Compliant Managed AV Network Switch

NETGEAR Authorized Dealer

BH #NEMSM4352100 • MFR #MSM4352-100NES | 1 Question, 1 Answer | Share | Print



Compare

Temporarily Out of Stock | No Store Display

**$5,599.99** +

**Save the Tax‡**
or Pay **$467/mo.** suggested payments for 12 Mos.[5] when you use the **Payboo** credit card.
Learn More

Free Next Day Shipping

Shipping Restrictions: Sales and Export of this item to China, Hong K...

Business Financing Options



Ask an Expert
Chat | Request Callback | Email | 800-894-9703



**Get The B&H Payboo® Credit Card**
See Exclusive Benefits >

Feedback

## Key Features

- 44 x 2.5G Ethernet PoE++ Ports
- 4 x 10G Ethernet PoE++ Ports
- 4 x 25G SFP28 Ports
- 500 Gb/s Switching Capacity

Show More

Grow your business by expanding your network capacity with the **Netgear M4350-44M4X4V 48-Port Multi-Gig PoE++ Compliant Managed AV Network Switch**. Designed primarily for high-bandwidth AV and IT applications, this network switch includes forty-four 2.5G and four 10G

More Details

## Recommended Accessories

View All



Pearstone Cat 6 Snagless Network



NETGEAR WAX610 AX1800 Dual-



Ubiquiti 10 GbE SFP+ to RJ45



TP-Link V2 Omad

Add to Cart



Ubiquiti UniFi 10G SFP+ Direct
$13.00

Add to Cart

Add to Cart



CyberPower 1000W PFC
$359.95

Add to Cart

Add to Cart



StarTech 4-Post Lockable 19"
$1,580.54

Add to Cart

Add to Cart



NETGEAR APS1200Wv2
$459.99

Add to Cart

# NETGEAR MSM4352-100NES Specs

## Key Specs

| | |
|---|---|
| **Networking I/O** | 53 Total Connections Supporting up to 25 GbE |
| **Stackable** | No |
| **Switching Bandwidth** | 500 Gb/s |
| **PoE Power Budget** | 194 W |
| **Networking I/O** | 44x RJ45 2.5 GbE PoE++ (100 W, 802.3bt Type 4)<br>4x RJ45 10 GbE PoE++ (100 W, 802.3bt Type 4)<br>4x SFP28 25 GbE WAN<br>1x RJ45 Gigabit Ethernet LAN |
| **Other I/O** | 1x USB-C<br>2x USB-A |
| **Stackable** | No |

## Protocols

| | |
|---|---|
| **Layer Services Supported** | Layer 2, Layer 3 |
| **Supported Protocols** | Auto-MDIX/MDI<br>DHCP Server<br>DoS<br>IGMP Snooping<br>IPv4<br>IPv6<br>Link Aggregation |
| **Queuing** | Strict Priority, Weighted Round Robin (WRR) |
| **Jumbo Frames Support** | 12,000 Bytes |
| **MAC Address Table Size** | 16K |

## Items Included

- ✓ NETGEAR M4350-44M4X4V 48-Port Multi-Gig PoE++ Compliant Managed AV Network Switch
- ✓ Power Cable
- ✓ USB-C to USB-A 2.0 Console Cable
- ✓ Rubber Caps for SFP28 Sockets
- ✓ Rubber Footpads
- ✓ Standard Rackmount Brackets
- ✓ Long Rackmount Brackets
- ✓ Limited Lifetime Warranty
- ✓ Limited 90-Day Manufacturer Warranty *(Technical Support via Phone & Email)*
- ✓ Limited Lifetime Warranty *(Next Business Day Hardware Replacement)*

## Additional Resources

**User Manual**
4.4 MB

## Security

| | |
|---|---|
| **Security Features** | DoS Attack Prevention |

## Performance

| | |
|---|---|
| **Forwarding Rate** | 372 Mpps |
| **Switching Bandwidth** | 500 Gb/s |
| **Packet Buffer** | 32 Mb |

## Computer

| | |
|---|---|
| **CPU** | Quad-Core: Up to 1.8 GHz Cortex A57 |
| **Memory** | 2 GB DDR4 |

## Electrical

| | |
|---|---|
| **PoE Power Budget** | 194 W |
| **Input Power** | 100 to 240 VAC, 50 / 60 Hz |
| **Power Supply Type** | Internal |

## General

| | |
|---|---|
| **Storage Conditions** | 25 to 158°F / -4 to 70°C |
| **Cooling System** | Fan (Noise Level 52 dB) |
| **Indicator Lights** | Yes |
| **Rack Mountable** | Yes 1 U |
| **Dimensions** | 17.3 x 15.7 x 1.7" / 440 x 400 x 43.2 mm |
| **Weight** | 16.18 lb / 7.34 kg |

## Packaging Info

| | |
|---|---|
| **Package Weight** | 23.795 lb |
| **Box Dimensions (LxWxH)** | 23.4 x 22.8 x 4.1" |

# HP Elite Mini 800 G9 Desktop Computer - Intel Core i7 13th Gen i7-13700T - 16 GB - 512 GB SSD - Desktop Mini

MFG # A4CA3US#ABA CDW # 7897186 UNSPSC 43211507 Not Yet Reviewed (0)



~~$2,434.11~~ Save $111.94

**$2,322.17**

Advertised Price

Lease Pricing Available

5-7+ Days

Expected in-stock date for this item is between 5-7 days. Item will ship once it is in stock.

Free Shipping

1

Add to Cart

Add to Compare

Save to Favorites

Feedback

## Quick tech specs

- speed multitasking and robust performance for
- With 16 GB of memory, run multiple demanding apps

demanding workloads and graphics-intensive gaming experiences

- 512 GB SSD offers fast data access and sufficient capacity for storing media libraries and essential files without compromising system speed

simultaneously without lag, even during heavy multitasking sessions

View All ↓

## Know your gear

**HP ELITE DESKTOPS**
Take your productivity up a notch. Reliable, secure, and manageable HP Elite Desktops are engineered for high performance and designed to impress.
**ELITE DESKTOPS**
Experience top-notch productivity, plus industry-leading reliability, security, and manageability in a broad range of form factors.

Feedback

## TECH SPECS

Collapse All Specs —

### Overview

| | |
|---|---|
| **Brand** | HP |
| **Product Line** | Elite Mini |
| **Series** | 800 G9 |
| **Manufacturer** | HP Inc. |

## Processor

| | |
|---|---|
| Chipset Manufacturer | Intel |
| Chipset Model | Q670 |
| Clock Speed | 1.40 GHZ |
| Cores | Hexadeca-core (16 Core) |
| Max Turbo Speed | 4.90 GHZ |
| Processor Brand | Intel |
| Processor Generation | 13th Gen |
| Processor Model | i7-13700T |
| Processor Type | Core i7 |

## Memory

| | |
|---|---|
| Memory Technology | DDR5 SDRAM |
| RAM Installed | 16 GB |
| Ram Capacity | 64 GB |

## Storage

| | |
|---|---|
| Hard Drive Capacity | 512 GB |
| Storage Type | SSD |

## Network & Communication

| | |
|---|---|
| Data Link Protocols | Gigabit Ethernet |
| Form Factor | Desktop Mini |
| LAN Manufacturer | Intel |

Feedback

| | |
|---|---|
| LAN Model | I219-LM |

## Connectivity

| | |
|---|---|
| DisplayPort (Rear) | Yes |
| DisplayPort Outputs (Rear) | 2 |
| Ethernet Ports | 1 |
| HDMI (Rear) | Yes |
| Total USB Ports | 6 |
| USB 3.2 Gen 2 Ports | 5 |

## Product Information

| | |
|---|---|
| Features | Dust Filter, Low Halogen, Security Slot, Tool-less Access |
| Product Type | Desktop Computer |

## Power

| | |
|---|---|
| Frequency | 50 hertz, 60 hertz |
| Input Voltage | 120 V AC, 230 V AC |
| 80 PLUS Certification | Electronic Product Environmental Assessment Tool Climate+ (EPEAT Climate+), TCO Certified 9.0 |

## Certifications & Listings

| | |
|---|---|
| ENERGY STAR Certified | Yes |
| Environmental Certification | China Energy Conservation Program (CECP) |
| Environmentally Friendly | Yes |
| TCO Certified | Yes |

Feedback



~~$224.00~~ Save $40.00

**$184.00**

Advertised Price

In Stock (3013 Units Available)

1

Get it Thu, Nov 19 if ordered within 2 hrs 2 mins.

Est. delivery date for 10001

Add to Cart

Add to Compare

Save to Favorite

Feedback

## Choose a Warranty

No Protection Plan

CDW 2 Year Standard Product Protection-Monitor-Device $19.94
Value $100-$199.99
View Details

CDW 3 Year Standard Product Protection-Monitor-Device $29.92
Value $100-$199.99
View Details

## Quick tech specs

- 524pf, 100 Hz
- IPS; LCD
- HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)
- 100% sRGB
- No integrated camera

HP Series 5 Pro 23.8 inch FHD Monitor - 524pf

$184.00

## Know your gear

Accessories More Warranties

Get more out of your workday with the HP Series 5 Pro 23.8" FHD Monitor. Create the setup that works for the way you work, wherever you work, with refined visual clarity and adjustable comfort built into a sleek, modern design.

## TECH SPECS

Collapse All Specs —

### Overview

| | |
|---|---|
| Brand | HP |
| Product Line | HP Series 5 Pro |
| Model | 524pf |
| Series | HP Series 5 Pro 23.8 inch |
| Manufacturer | HP Inc. |

### Connectivity

| | |
|---|---|
| DisplayPort | Yes |
| HDMI | 1 HDMI 1.4 |
| HDMI Inputs | 1 |
| HDMI Version | 1.4 |
| Interface | DisplayPort, HDMI, USB-C |

Feedback

| | |
|---|---|
| USB | Yes |
| USB Ports | 5 |
| USB Type-B | Yes |

## Display & Graphics

| | |
|---|---|
| Aspect Ratio | 16:9 |
| Backlight Technology | Edge-lit, WLED |
| Curved Screen | Flat |
| Display Position Adjustments | Height, Pivot, Swivel, Tilt |
| Horizontal Viewing Angle | 178° |
| Native Resolution | 1920 x 1080 |
| Pixel Density (ppi) | 93 ppi |
| Pixel Pitch | 0.28 x 0.28 millimetre |
| Response Time | 5 millisecond |
| Screen Mode | FHD |
| Screen Size | 23.8 inch |
| Screens | 1 |
| Typical Response Time | 5 millisecond |
| Vertical Viewing Angle | 178° |
| V-Sync Rate at Max Res. | 100 hertz |

## Video

| | |
|---|---|
| Color Gamut | 100% sRGB |

Feedback

HP Series 5 Pro 23.8 inch FHD Monitor - 524pf $184.00

## Projectors

| | |
|---|---|
| Brightness | 350 nits |

## Camera

| | |
|---|---|
| Webcam | No integrated camera |

## Power

| | |
|---|---|
| Frequency | 30-120 kilohertz |

## Technical Information

| | |
|---|---|
| Controls | Brightness+ |
| Maximum Refresh Rate | 100 hertz |
| Operating Humidity | Relative Humidity |
| Panel Technology | IPS, LCD |
| Screen Size Class | 24 inch |
| Screen Surface | Anti-glare |
| Speakers | No |

## Product Information

| | |
|---|---|
| Built-in Devices | USB Hub |
| Features | Adjustable stand, Sustainable, HP Eye Ease, WWCB Certified |

Feedback

HP Series 5 Pro 23.8 inch FHD Monitor - 524pf

$184.00

| | |
|---|---|
| Stand Color | Silver |
| VESA Mount Standard | 100 x 100 millimetre |

## Dimensions & Weight

| | |
|---|---|
| Height | 12.4 inch |
| Height with Stand | 19.81 inch |
| Weight with Stand | 10.80 lb |
| Width | 21.2 inch |
| Width with Stand | 21.24 inch |
| Depth | 1.9 inch |

## Physical Characteristics

| | |
|---|---|
| Color Family | Jet black |
| Color Category | Jet black |

Feedback

## Certifications & Listings

| | |
|---|---|
| ENERGY STAR Certified | Yes |
| EPEAT Compliant | Yes |
| TCO Certified | Yes |

## Service & Support

| | |
|---|---|
| Service & Support Details | HP three-year limited warranty |
| Limited Warranty | HP three-year limited warranty Year |



~~$59.99~~

**$55.85**

Advertised Price

1

**2-4+ Days**

Expected in-stock date for this item is between 2-4 days. Item will ship once it is in stock.

Add to Cart

Add to Compare

Save to Favorites

Feedback

## Quick tech specs

- Notebook carrying case
- 17.3"
- 15.6"
- olive

View All ↓

## Know your gear

Mobile Edge The ECO 15.6" to 17.3" Notebook Messenger - notebook carrying case

$55.85

## Product Information

| | |
|---|---|
| Additional Compartments | Magazines, Personal accessories |
| Category of Accessory | Carrying cases, Notebook and tablet PC accessories |
| Compatibility Height | 2.3 inch |
| Features | Padded shoulder strap |
| Laptop Compatibility (metric) | 43.9 centimetre |
| Maximum Size Supported | 17.3 inch |
| Laptop Supported Sizes | 15.6" - 17.3" |
| Laptop Supported Sizes (metric) | 39.6 cm - 43.9 cm |
| Notebook Compatibility Depth | 11 inch |
| Packaged Quantity | 1 |
| Product Type | Notebook carrying case |
| Width | 16.8 inch |

## Dimensions & Weight

| | |
|---|---|
| Height | 13 inch |
| Width | 17.5 inch |
| Depth | 4.3 inch |

## Physical Characteristics

## Service & Support

## Compare to similar models

Current Item

Feedback